2010 VEHICLE CARE PRODUCT CATALOG

ADHESIVES

SEALANTS

ADDITIVES

LUBRICANTS

MECHANICAL REPAIR

SHOP SUPPLIES

BODY SHOP

APPEARANCE PRODUCTS

GM GOODWRENCH MOTOR OIL

MERCHANDISING MATERIALS

PAINTS

Goodwrench

PHONE DIRECTORY

KEM KREST (ORDER STATUS/SHIPPING)	1-800-955-8591
C.A.C./RAPID 2000 (SHORTAGES/OVERAGES, DAMAGE, PROMOTION ISSUES, AND OTHER CONCERNS)	1-800-433-6961
MOTOR OIL TO LOCATE YOUR LOCAL GM GOODWRENCH MOTOR OIL DISTRIBUTOR:	1-800-726-6377
MATERIAL SAFETY DATA SHEET (MSDS)	See page 65
VEHICLE PROTECTION PRODUCTS – MIC • Rust-Proofing Policies • Paint-Sealant Policies • Fabric-Protector Policies	1-800-243-5400

PHONE DIRECTORY

REGION	CONTACT	PHONE NUMBER
Northeast Region	Sandy Queen	1-800-285-5916
North Central Region	Sandy Queen	1-800-285-5912
South Central Region	Tamara Adamé	1-800-285-5918
Southeast Region	Stephanie Rupe	1-800-756-9815
Western Region	Tamara Adamé	1-800-285-5918
Customer Service	Cindy Stutzman	1-800-285-8591

GM vehicle care products are non-returnable.

TABLE OF CONTENTS

NUMERICAL INDEX 2

ALPHABETICAL INDEX 3

NATIONAL PROMOTION/PROGRAM OVERVIEWS 5

ORDERING INFORMATION 6

ADHESIVES (INCLUDING BODY SHOP ADHESIVES) 7

SEALANTS 9

ADDITIVES 13

LUBRICANTS 18
- AXLE 18
- BRAKES 19
- ENGINE 20
- TRANSFER CASE 21
- TRANSMISSION FLUID 22
- GENERAL 25

MECHANICAL REPAIR 28
- A/C 28
- COOLING 31
- ENGINE 32
- POWER STEERING 33
- GENERAL 33

SHOP SUPPLIES 35
- HAND CARE 35
- BRAKE CLEANER 36
- GENERAL 36

BODY SHOP 37

APPEARANCE PRODUCTS 38

GM GOODWRENCH MOTOR OIL 45

MERCHANDISING MATERIALS 50

PAINTS 53
- TOUCH-UP 54
- PAINTS LIST 56

SAFETY INFORMATION 65

ENGINEERING REQUIRED ITEMS (ERI) 66

Product specifications and descriptions were correct at the time this catalog was printed. GM reserves the right to improve, discontinue, or change any part of the copy, photography, and parts without notice.

Goodwrench

VEHICLE CARE NUMERICAL INDEX

PART #	PAGE
994954	38
998885	38
1050026	9
1050173	38, 66
1050175	39
1051344	25
1051498	53, 66
1051499	53, 66
1051515	5,39
1052351	32
1052358	18
1052626	14
1052929	39
1052943	9, 68
1052948	25
3634621	32
3634770	25, 66
9982257	10, 11
10432060	66
12343985	38
12343986	38
12345097	8, 66
12345347	33
12345349	24
12345382	9
12345579	21
12345610	46
12345612	46
12345615	48
12345616	46
12345618	46
12345621	48
12345632	7, 66
12345726	66
12345762	28
12345866	33
12345867	33
12345879	25
12345884	25, 66
12345885	46
12345982	21
12345996	26, 66
12346001	66
12346004	9, 66
12346067	66
12346184	46
12346190	24
12346241	26
12346286	12, 66
12346290	5, 31
12346303	28, 29
12346390	28, 29
12346391	28, 29
12346501	37, 66
12347283	46
12347284	46
12353008	30
12356150	28
12371287	26, 66
12371386	26, 66
12377900	27, 66
12377901	66
12377914	7
12377916	24
12377951	29, 30
12377963	31
12377964	39
12377965	40
12377966	40
12377967	20
12377969	20, 66
12377985	27, 66
12378112	50, 51
12378132	50, 52
12378134	50, 51
12378136	50, 51
12378179	53
12378192	66
12378195	66
12378196	66
12378199	30
12378254	32
12378390	31
12378393	36
12378398	37
12378399	66
12378401	40
12378402	40
12378454	52
12378457	52
12378462	7
12378464	5
12378465	5
12378468	5
12378478	12, 66
12378479	12, 66
12378482	36
12378483	37
12378484	66
12378500	37
12378508	21
12378509	30
12378514	21
12378515	24
12378517	66
12378521	10, 12, 66
12378522	46
12378526	28, 68
12378534	52
12378545	15, 66
12378546	5, 15, 66
12378555	7, 66
12378556	36
12378557	19
12378560	5, 31
12378561	31
12378562	5
12378563	30, 66
12378566	66
12378567	8, 66
12378568	8, 66
12497910	29
12498558	50, 51
21018899	24
25645365	33
88861003	22, 23
88861009	14, 17, 67
88861011	14, 16, 67
88861039	67
88861045	22, 23
88861046	22, 23
88861188	18
88861206	30
88861314	14
88861344	32, 67
88861400	67
88861401	43, 44, 67
88861402	43, 44, 67
88861403	42, 44, 67
88861404	42, 44, 67
88861405	43, 44, 67
88861406	43, 44, 67
88861407	42, 44, 67
88861408	42, 44, 67
88861417	11, 12, 67
88861420	41, 43, 44, 67
88861422	67
88861425	42, 44, 67
88861426	27, 67
88861431	43, 44
88861432	43, 44
88861800	23
88861802	13, 14
88861950	21
88861952	24
88862155	49
88862156	49
88862157	49
88862163	46
88862164	49
88862165	49
88862166	49
88862167	49
88862168	49
88862181	20
88862469	46
88862477	67
88862479	46
88862480	46
88862481	48
88862482	48
88862483	48
88862484	48
88862497	46
88862498	48
88862499	48
88862500	48
88862501	48
88862506	46
88862507	46
88862508	48
88862509	48
88862510	48
88862511	48
88862512	48
88862513	48
88862514	48
88862515	48
88862586	20
88862611	46
88862612	49
88862613	49
88862614	49
88862615	49
88862616	49
88862617	49
88862618	49
88862619	49
88862624	27
88862627	36
88862629	25
88862650	5, 36
88862657	27
88862661	5
88862806	20
88863349	23, 67
88863400	23
88863460	31
88900925	23
88901741	48
88901742	48
88901743	48
88901744	48
88901975	33
88958860	19
89020326	12, 67
89020330	67
89020331	67
89020661	5, 33
89021184	33
89021187	5
89021297	9, 67
89021301	35
89021302	35
89021303	35
89021306	35
89021329	7, 67

PAGE #	PART
89021512	48
89021519	50, 51
89021522	49
89021523	49
89021524	18
89021562	32, 67
89021592	5, 67
89021593	48
89021594	48
89021595	48
89021596	48
89021597	48
89021598	48
89021602	48
89021603	49
89021604	49
89021614	46
89021615	46
89021616	48
89021619	48
89021623	49
89021624	48
89021625	48
89021626	48
89021627	48
89021632	48
89021633	48
89021636	48
89021637	48
89021638	48
89021639	48
89021644	49
89021668	26
89021669	19
89021671	5, 18
89021675	18
89021677	18
89021806	23
89021809	67
89021822	39
89021939	53
89021940	53
89021942	53
89022161	67
89022180	27, 67
89022217	36, 67
89022219	32, 67
89022748	34, 67
92184900	19
9M904625	54
9M905421	35
9M905422	35
9M905423	35
9M905449	39

VEHICLE CARE ALPHABETICAL INDEX

ITEM	PAGE
3-Step Fuel Induction Cleaner	5, 15, 66, 67
4-Step Engine Cleaner Kit	15, 66
4 in 1 Fluorescent Dye	30
A/C Compressor Oil – 90-93 (GEO STORM) Only	28, 68
A/C System Fluorescent Tracer Injector Package Dye	30
A/C System Lubricant	27
Adhesive, RR SPR INSL	66
Aerosol Cooling Coil Coating	29
Anti-Corrosion Coating	37, 66
Anti-Corrosion Compound (Wax-Based)	66
Anti-Seize Lubricant	67
Antifreeze – Coolant	5, 31
Auto Trak II Transfer Case Fluid	21
Automatic Transmission Seal Conditioner	14
Axle Lubricant (80W-90) GL-4	5, 18
Black Toughened Adhesive	66
Bonding Adhesive	66
Brake Caliper Lubricant – Cartridge	20, 66
Brake Caliper Lube	67
Brake Fluid – Delco Supreme 11	20
Brake Fluid DOT 3 (Modified)	20
Brake Parts Cleaner	36
Chassis Grease – Cartridge	27, 66
Chevrolet Vehicle Care Kit	51
Chrome Cleaner and Polish	38, 66
Cleaner Wax	40
Cloth/Carpet Cleaner Concentrate	43, 44, 67
Clutch Release Bearing Lubricant	66
Cold Climate Power Steering Fluid	33
Coolant System Fluorescent Tracer Dye	30
Coolant System Tracer Dye	32, 67
Cooling Coil Coating and Deodorizer	30
Cooling Coil Coating (Refill for Kit 12346391)	28
Cooling Coil Coating Applicator Kit	28
Cooling Coil Coating Kit	29
Cooling System Fast Flush	32, 67
Cooling System Seal Tabs	32
Corvette Vehicle Care Kit	51
DEX-COOL® Antifreeze	5, 31
DEX-COOL® 50/50 Premix Antifreeze/Coolant (without Bitterant)	31
DEX-COOL® 50/50 Premix Antifreeze/Coolant (with Bitterant)	31
DEXRON® LS Gear Oil (75W-90)	27
DEXRON®-VI	22, 23
Dielectric Lubricant	27, 66
Dielectric Silicone Grease	21
Diesel Fuel Conditioner	14, 17, 67
Dri-Slide Lubricant – Aerosol	25
Electrohydraulic Power Steering Fluid	33
Electronic Evaporator Dryer Module	29
Engine Enamel Paint – Corporate Blue	53
E.O.S. Assembly Lubricant	20
EZ Heat Resin Adhesive	67
Finish Enhancer	39
Flange Sealant	66, 67
Fluorescent Dye Remover	30
Fluorescent Tracer Dye – Coolant System	66
Foam Adhesive Kit	67
Fuel System Treatment Plus	14, 16, 67
Gasket Maker	9, 68
Gasket Sealing Compound	9
Gear Marking Compound	32
Glass Adhesion Promoter	7, 66
Glass Cleaner	39
GM Goodwrench Bulk Motor Oils and ATF	48, 49
GM Goodwrench Packaged Motor Oils	46
GM Vehicle Care Kit	52
GM Vehicle Care Detailing Kit	52
GM Vehicle Care Touch-up Paint Display Rack	54
GMC Vehicle Care Kit	51
H/Top Hydraulic Pump Fluid	34, 67
Heavy Duty Cooling System Cleaner	32, 67
Headliner Trim Adhesive	66
Hi Strength Plastic Repair Adhesive	67
High Gloss Spray Paint Black	53
High-Temp., High-Strength Threadlocker	9, 67
High-Temperature Grease	26, 66
Holiday Polishing Cloth	38
Hot Melt Adhesive Sticks	7
Hummer Vehicle Care Kit	51
Hydraulic Clutch Fluid	33
Inside Mirror Adhesive	7, 67
Installation/Cleaning Package for Rain Sensor Module	33
Instant Gel Adhesive	7, 66
Leather and Vinyl Conditioner	43, 44, 67
Leather, Vinyl and Plastic Cleaner	43, 44, 67
Limited Slip Axle Lubricant Additive	18
Low Gloss Spray Paint Black	53
Low VOC Carburetor and Choke Cleaner	36
Low VOC Engine Degreaser Cleaner	36
Low VOC Non-Chlorinated Brake Parts Cleaner	36
Manual Transmission Fluid	23
Manual Transmission Fluid (75W-90) GL-3	23
Manual Transmission Fluid (LSC 301)	23, 67
Manual Transmission Lubricant	24

VEHICLE CARE ALPHABETICAL INDEX CONTINUED

ITEM	PAGE
Medium-Body Seam-Sealing Compound	37
Medium-Strength Threadlocker – Blue	9
Metal Patch Panel Adhesive	66
Micro Brush Package	37
Moisture Displacing Lubricant	25
Motor Oil	45, 46, 48, 49
Multi-Purpose Lubricant	26, 27, 67
Nickel Anti-Seize Lubricant	26, 66
Non-Aerosol Kit Refill	29
Odor Eliminator	43, 44
Optikleen	5, 39
Paint Chip Repair Kit	53
Performance Parts Kit	52
Performance Parts Vehicle Care Kit	52
Plastic Adhesion Promoter	7
Plastic Bonding Adhesive	8, 66
Plastic Installation Adhesive	67
Polishing Cloth	38
Polishing Cloth – Bulk Roll	38
Polishing Cloth – Gift Box	38
Power Steering Fluid	5, 33
Quadrasteer™ Synthetic Axle Gear Lubricant	19
R12 A/C Fluorescent Tracer Dye – Disposable	30
R134a Tracer Dye – Bottle	28, 29
Rear Axle Lube (80W-90) GL-5	19
Rear Axle Lubricant (75W-85)	19
Rear Window Defogger Kit	66
Reconditioning Paint – Aerosol (Trunk)	53, 66
Refrigerant R134a	28
RTV Engine Sealant – Cartridge	10, 12, 66
RTV Engine Sealant – Tube	11, 12
RTV Sealant	67
RTV Silicone Sealant – Red	12, 66
RTV Silicone Sealant (RTV 5900) – Cartridge	12, 66
RTV Silicone Sealant (RTV 5900) – Power Can	12, 66
Rubber Lubricant	25, 66
Rubberized Aerosol Undercoating	37
Ruby Upholstery Extractor	41
Rust and Corrosion Inhibitor	36, 67
Rust Penetrant and Inhibitor	36
Safety Information	65
Seam-Sealer Tape	66
Silicone Brake Lubricant	20
Silicone Sealant	12, 67
Soft Bristle Interior Cleaner Brush	42, 44, 67
Sound-Deadening Pads	66
Special Lubricant High Temperature – C1, 2 W/A.T.	25
SSR Vehicle Care Kit	51

ITEM	PAGE
Structural Bonding Epoxy – Cartridge (Two Parts)	66
Structural Metal Bonding Adhesive	8, 66
Super Dot-4 Brake and Clutch Fluid	19
Super Lube	26
Supercharger Oil	21
Swirl Remover Polish	40
Synchromesh Manual Transmission Fluid Friction Modified	24
Synchromesh Transmission Fluid	24
Synthetic Axle Lube (75W-90) GL-5	18
Synthetic Axle Lubricant (75W-90)	18
Synthetic Axle Lubricant (75W-140)	18
Synthetic Gear Oil (75W-140)	67
Synthetic Lubricant with Teflon®	26, 66
Synthetic Manual Transmission Fluid (75W-90–GL4)	24
Synthetic Manual Transmission Fluid (SAE 50)	24
Synthetic Multi-Purpose Lubricant	27, 67
T-IV Automatic Transmission Fluid	23
Tech Care Gold Pro Hand Cleaner	35
Tech Care Max Pro Hand Cleaner	35
Tech Care Orange Pro Hand Cleaner	35
Tech Care Pro 2000 Dispenser	35
Teflon® Pipe Sealant	9, 66
Transfer Case Fluid	21
TRANSYND™ Manual Transmission Fluid	24
Universal PAG Oil	28
Upholstery/Carpet Stain Remover (Gold Formula)	42, 44, 67
Upholstery/Carpet Stain Remover (Red Formula)	42, 44, 67
Upper Engine and Fuel Injector Cleaner	13, 14
Upper Engine and Fuel Injector Cleaner – Aerosol	14
Vehicle Care Kits	50
VERSATRAK® Transfer Case Fluid	21
Wash Wax Concentrate	40
Weatherstrip Adhesive Gel – Black	8, 66
Weatherstrip Lubricant	25, 66
Wheel Bearing Lubricant – Tub	25
Wheel Cleaner	39
White Sidewall Cleaner	39
WS-ATF Automatic Transmission Fluid	23

NATIONAL PROMOTION/PROGRAM OVERVIEWS

PALLET PROGRAM FOR SELECT GM VEHICLE CARE PRODUCTS

DESCRIPTION (per case)	PALLET PART NUMBER	PALLET UNIT QUANTITY
Antifreeze - Coolant, 1 gallon (12378560)	12378562	216
Optikleen, 32 oz. (1051515)	12378465	672
Low VOC Brake Parts Cleaner, 15 oz. (88862650)	88862661	864
Axle Lubricant (SAE 80W-90), 23 oz. (89021671)	12378468	480
Power Steering Fluid, 1 quart (89020661)	89021187	1,008
3-Step Fuel Induction Cleaner Kit (12378546)	89021592	240

PALLET ORDERS ABOVE EARN:

Return Reserve	Customer Focus Incentive (CFI)	Co-op Advertising Reserve	Standard Discount	Special Discount
5%	3.25%* (Dealer must qualify)	N/A	N/A	14% (1-6 pallets) 24% (7+ pallets)

MIX AND MATCH PALLET PROGRAM

With the purchase of 7 or more of the pallet part numbers above, you can mix and match these pallets and qualify for the 24% special discount.

These pallet orders can be combined with a regular GM Vehicle Care order. When the entire order is over $1,500, you will earn 9% discount on the remainder of the order.

Order by number of pallets using pallet part number as indicated above.

DEX-COOL PALLET PROGRAM

DESCRIPTION (per case)	PALLET PART NUMBER	PALLET UNIT QUANTITY
DEX-COOL®, 1 gallon (12346290)	12378464	216

Return Reserve	Customer Focus Incentive (CFI)	Co-op Advertising Reserve	Standard Discount	Special Discount
5%	3.25%* (Dealer must qualify)	N/A	N/A	7% (1-6 pallets) 14% (7+ pallets)

No order level discounts apply to simplify pricing.

DEX-COOL pallets ordered with other chemicals can help qualify other chemicals for appropriate order level discounts.

* Maximum discount for RIM Dealers

ORDERING INFORMATION

VEHICLE CARE PRODUCTS

To receive discounts, orders must be placed through Parts Workbench using QPO order type.

MOST VEHICLE CARE PRODUCT PURCHASES EARN:

- Order Level Discount
- 5% Return Reserve
- 3.25% Customer Focus Incentive (Dealer must qualify to receive)*

DISCOUNT STRUCTURE

ORDER LEVEL	DISCOUNT
$1,500	9%
$1,000-$1,499	6%
$500-$999	4%
$0-$499	2.75%

GM GOODWRENCH MOTOR OIL

Orders for GM Goodwrench Motor Oil should be placed directly with your local GM Goodwrench motor oil distributor. For more details on these programs, see your Area Parts Manager.

ALL GM GOODWRENCH MOTOR OIL PURCHASES EARN:

- Discount based on the purchase amount (see pages 45 through 49 for additional details)
- 5% Return Reserve
- 3% Advertising Reserve
- 3.25% Customer Focus Incentive (Dealer must qualify to receive)*

* Maximum discount for RIM Dealers

Please refer to GlobalConnect EPIC applications for complete GM Dealer part and price information.

Product specifications and descriptions were correct at the time this catalog was printed. GM reserves the right to improve, discontinue, or change any part of the copy, photography, and parts without notice.

GM Vehicle Care products currently not available to dealers in California and in OTC states will be identified with a ▲ after the product description and function.

INSIDE MIRROR ADHESIVE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
.9 oz.	12	89021329

PRODUCT DESCRIPTION AND FUNCTION:
An OEM factory service specified two-part adhesive used to mount the rearview mirror bracket on the vehicle windshield. Designed for the "button" that is glued to the windshield at the factory using a heat-activated process.

Permanently bonds to the windshield with no clamping and a set time for one (1) minute. Non-flammable, non-toxic. Resists moisture, light, and temperature changes.

GM VEHICLE APPLICATION:
For use with all GM vehicles.

SPECIAL PRECAUTIONS:
Please follow the installation instructions on the package precisely. This product is specifically designed for one usage only. Not designed for plastic "buttons."

INSTANT GEL ADHESIVE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
.02 oz.	12	12345632

PRODUCT DESCRIPTION AND FUNCTION:
A high-strength, rapid curing glue that provides instant adhesion. Gel formulation that fills gaps and is non-running.

Excellent humidity and weather resistance. Contains no solvents and is non-flammable.

- Won't run or drip
- Bonds in seconds

GM VEHICLE APPLICATION:
For use with all GM vehicles.

HOT MELT ADHESIVE STICKS

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1/2" x 12" (14 sticks)	1	12377914

PRODUCT DESCRIPTION AND FUNCTION:
12" x 1/2" hot melt glue sticks.
Requires 300°F-400°F hot glue gun.

- Bonds seat covers to foam cushions
- Useful for reattaching vinyl trim

For reattaching vinyl trim and seat-cover repairs.

PLASTIC ADHESION PROMOTER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
4 oz.	4	12378462

PRODUCT DESCRIPTION AND FUNCTION:
Solvent-based adhesion promoter designed to be used on TPO, TPU, and polypropylene substrates to improve the adhesive bond to form attachment tapes and compoxy repair compound. Common applications include moldings, inserts, bumpers, and fascias. Used to increase tensile strength of adhesive tape used to fasten parts.

- Strengthens adhesives bonds
- Prepares plastic surfaces for bonding

GM VEHICLE APPLICATION:
For use with all GM vehicles.

GLASS ADHESION PROMOTER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
11 oz.	6	12378555

PRODUCT DESCRIPTION AND FUNCTION:
This Adhesion Promoter is specifically designed to treat and seal the glass to prevent moisture from interfering with the adhesion process, which results in an improved long term bond.

STRUCTURAL METAL BONDING ADHESIVE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
7.6 oz.	6	12378567

PRODUCT DESCRIPTION AND FUNCTION:

- Meets GM6449G, "Automotive (Metallic) Panel Bonding Performance Guidelines for After Market Service Use"
- Specified for by GM in Technical Service Bulletin (TSB) #02-08-98-001A as an alternative to mig-welding for exterior panel replacement
- Crash proven to Federal Motor Vehicle Safety Standard (FMVSS) #301-208
- Contains glass beads which create perfect bondline thickness, regardless of clamping techniques
- Provides corrosion protection
- Bonds to bare metal without the need for primers
- Built-in color indicator; turns from dark gray to green as adhesive cures

APPLICATION:

- Quarter Panels
- Body Panels
- Roof Panels
- Doorskins

Applicator: 285-LRD-301 available through 1-800-GMTOOLS ext. 5

PLASTIC BONDING ADHESIVE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
50 ml.	12	12378568

PRODUCT DESCRIPTION AND FUNCTION:

A structural adhesive for bonding a variety of plastics to plastics and plastics to primed, painted or e-coated metals. Great for general purpose bonding of trim components.

- Meets GM6448G, "Adhesion Guidelines for Bonding Exterior Sheet Molding Compound (SMC) for After Market Service Use"
- Easy to gun, non-sag formula
- No VOC's, 100% solids
- High strength structural urethane adhesive

APPLICATION:

Bonding of SMC, Fiberglass, ABS, PVC, Acrylic, XENOY, PC

Applicator: 285-LRD-301 available through 1-800-GMTOOLS ext. 5

WEATHERSTRIP ADHESIVE GEL – BLACK

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
5 oz.	12	12345097

PRODUCT DESCRIPTION AND FUNCTION:

Is a quality black cement that bonds rubber weatherstripping to rubber, metal, or painted surfaces. This product is resistant to gasoline, kerosene, antifreeze, and other solvents. Will also withstand vibration and extreme temperature changes. It surpasses the GM specs by 250% in strength verses drying time.

GASKET SEALING COMPOUND

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	12	1050026

PRODUCT DESCRIPTION AND FUNCTION:
A universal sealant used by the automotive, truck, marine, and aviation industries. GM Gasket Sealing Compound never hardens or dries out and it can withstand temperatures -50°F to 400°F to extend the life of all gasket materials. It is designed to provide a better seal against compression leaks, water or antifreeze leaks, oil leaks, gasoline leaks, and pressure or vacuum leaks. It also prevents corrosion of bolt, stud, and fitting threads.

- Never hardens or dries out
- Temperature range -50°F to 400°F
- Prevents corrosion

GM VEHICLE APPLICATION:
Recommended for use with 2000 and prior model year vehicles.

GASKET MAKER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
50 ml.	4	1052943

PRODUCT DESCRIPTION AND FUNCTION:
A liquid anaerobic gasket in a tube. This flexible gasketing material provides quick sealing when assembled flanges are mated with a seal of guaranteed integrity. Adheres well to: aluminum, steel, iron, and magnesium.

- Anaerobic curing mechanism
- Cures instantly

GM VEHICLE APPLICATION:
Used with all GM vehicles.

MEDIUM-STRENGTH THREADLOCKER – BLUE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
6 ml.	10	12345382

PRODUCT DESCRIPTION AND FUNCTION:
A medium-strength threadlocker and sealant that cures only when confined between surfaces. A unique coating applied to threaded parts that converts ordinary fasteners into self-locking, self-sealing fasteners.

Prevents loosening of nuts, bolts, screws, and fittings. Seals out corrosion and prevents air, oil, and fuel leakage. Cures without cracking or shrinking. Blue in color.

- Hand tool removable
- Stops vibration loosening
- Seals against rust and corrosion

GM VEHICLE APPLICATION:
For use with all GM vehicles.

SPECIAL PRECAUTIONS:
Not recommended for plastic parts.

HIGH-TEMP., HIGH-STRENGTH THREADLOCKER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
10 ml.	10	89021297

PRODUCT DESCRIPTION AND FUNCTION:
A high-strength anaerobic threadlocker and sealer that cures only when confined between surfaces. This product has permanent threadlocking capability and is recommended for high-temperature applications.

It will prevent fastener loosening and seal out rust and corrosion. Maintains clamp load resulting in increased reliability of assembled components.

- High-strength threadlocking for steel fasteners 3/8" and larger
- Withstands high temperature

GM VEHICLE APPLICATION:
For use with all GM vehicles.

SPECIAL PRECAUTIONS:
Not recommended for soft metals or plastic parts.

TEFLON® PIPE SEALANT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
50 cc.	5	12346004

PRODUCT DESCRIPTION AND FUNCTION:
An instant-sealing, low-odor sealant for all threaded connections. Repositionable up to four hours. Ideal for sensor installation, except oxygen sensors.

- Seals machine and tapered threads
- Compatible with oil, water, and refrigerant

GM VEHICLE APPLICATION:
For use with all GM vehicles.

GM UNIVERSAL ENGINE SEALANT

PRODUCT DESCRIPTION AND FUNCTION

A one-component, room-temperature vulcanizing (RTV) sealant. A high viscosity product that cures when exposed to air. The cured material has superior adhesion and elongation properties. It is oxygen sensor safe and will not corrode metal surfaces. This is the original GM production sealant (9982257).

GM VEHICLE APPLICATION

Recommended for all engine applications:

- Sealant is compatible with all synthetic, synthetic blend, and minerals oils, as well as coolants including DEX-COOL®
- Assembly may be filled with oil or coolant immediately after applying the sealant and torquing the bolts
- Maximum working time of sealant is 20 minutes
- Sealant will fully cure in 24 hours

SPECIAL PRECAUTIONS

Surface should be free of residual fluids such as oil and coolant, as well as detergent residuals. Joints should be closed within 20 minutes of sealant application. Final tightening should be done within one hour of sealant application and joint closure.

RTV ENGINE SEALANT CARTRIDGE
5.3 oz. Cartridge
(6 Units Per Case)
Part Number 12378521

See page 12 for additional product information.

GM UNIVERSAL ENGINE SEALANT

RTV ENGINE SEALANT TUBE
2.65 oz. Tube
(6 Units Per Case)
Part Number 88861417

One sealant for all engine applications . . .

Oil pans, ladder frame

Front and rear covers

China walls, T-joints

Manifold corners, intake

Manifold end seals, CAM covers

OEM product materials #9982257

Properties . . .

Excellent oil resistant

Excellent coolant resistant

Superior adhesion

Good for large gaps

Blow-out resistant

Long term durability . . .

Passes GM 3155 durability testing

Oxygen sensor safe

Will not corrode metal surfaces

See page 12 for additional product information.

RTV SILICONE SEALANT (RTV 5900) – CARTRIDGE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
5 oz.	6	12346286

PRODUCT DESCRIPTION AND FUNCTION:
- Immediate pressure resistance
- Oxygen sensor safe

GM VEHICLE APPLICATION:
For use with all GM vehicles.

SPECIAL PRECAUTIONS:
Not recommended for axle applications.
Not recommended for engine applications.

RTV SILICONE SEALANT (RTV 5900) – POWER CAN

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
4 oz.	1	12378479

PRODUCT DESCRIPTION AND FUNCTION:
- Immediate pressure resistance
- Oxygen sensor safe

GM VEHICLE APPLICATION:
For use with all GM vehicles.

SPECIAL PRECAUTIONS:
Not recommended for engine applications.

RTV SILICONE SEALANT – RED

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
2.8 oz.	6	12378478

PRODUCT DESCRIPTION AND FUNCTION:
Non-corrosive to ferrous metals and resists elevated temperatures. Adheres to a variety of substances including glass and most metals. Utilizes a non-acid curing system. Surface must be clean and free of all oil.
- Non-corrosive to metals
- Highly resistant to hot hypoid gear oil
- Unsurpassed sealing strength and durability
- Resists synthetic axle lubricants

GM VEHICLE APPLICATION:
Recommended for all axle sealing applications.

SPECIAL PRECAUTIONS:
Not recommended for engine applications.

RTV ENGINE SEALANT – CARTRIDGE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
5.3 oz.	6	12378521

PRODUCT DESCRIPTION AND FUNCTION:
A one-component room-temperature vulcanizing (RTV) sealant. A high viscosity product that cures when exposed to air. The cured material has superior adhesion and elongation properties and is very resistant to engine oils and coolants. It is also oxygen sensor safe and will not corrode metal surfaces. This is the original production sealant used in GM engine plants.

GM VEHICLE APPLICATION:
- The sealant is compatible with all synthetic, synthetic blend, and minerals oils as well as coolant including DEX-COOL®
- The assembly may be filled with oil or coolant immediately after applying the sealant and torquing the bolts
- The maximum working time of this sealant is 20 minutes
- The sealant will fully cure in 24 hours

Recommended for all engine applications.

SPECIAL PRECAUTIONS:
Surface should be free of residual fluids such as oil and coolant. Surfaces should also be free of detergent residues. Joints should be closed within 20 minutes of sealant application, and final tightening should be done within one hour of sealant application and joint closure.

RTV ENGINE SEALANT – TUBE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
2.65 oz.	6	88861417

PRODUCT DESCRIPTION AND FUNCTION:
A one-component room-temperature vulcanizing (RTV) sealant. A high viscosity product that cures when exposed to air. The cured material has superior adhesion and elongation properties and is very resistant to engine oils and coolants. It is also oxygen sensor safe and will not corrode metal surfaces. This is the original production sealant used in GM engine plants.

GM VEHICLE APPLICATION:
- The sealant is compatible with all synthetic, synthetic blend, and minerals oils as well as coolant including DEX-COOL®
- The assembly may be filled with oil or coolant immediately after applying the sealant and torquing the bolts
- The maximum working time of this sealant is 20 minutes
- The sealant will fully cure in 24 hours

Recommended for all engine applications.

SPECIAL PRECAUTIONS:
Surface should be free of residual fluids such as oil and coolant. Surfaces should also be free of detergent residues. Joints should be closed within 20 minutes of sealant application, and final tightening should be done within one hour of sealant application and joint closure.

Recommended for all engine applications.

SILICONE SEALANT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
3 oz.	1	89020326

PRODUCT DESCRIPTION AND FUNCTION:
High performance, room temperature vulcanized (RTV) silicone commonly used as a formed-in-place gasket. Is characterized by good elasticity, temperature resistant, and chemical resistant after curing. Has good automatic transmission fluid resistance.

SPECIAL PRECAUTIONS:
Not recommended for engine applications.

Upper Engine and Fuel Injector Cleaner

GM Upper Engine and Fuel Injector Cleaner is a unique formulation that delivers immediate engine deposit cleaning.

Use of lower quality fuels may leave harmful engine deposits that can degrade driveability.
GM Upper Engine and Fuel Injector Cleaner is specifically designed as an in-rail fuel injector cleaner that delivers deposit clean-up of fuel injectors, intake valves and ports, and combustion chambers.

Based on the ability of the GM Upper Engine and Fuel Injector Cleaner to remove harmful deposits, a cleaned engine may experience the following performance benefits:

- Restore Lost Power
- Improve Acceleration
- Smooth Out Rough Idling
- Improve Fuel Economy
- Reduce Hard Starting
- Reduce Emissions
- Reduce Octane Appetite
- Eliminate deposit related “Carbon Rap”, Knocking, Pinging, Hesitation, Stalling and Run-On or “Dieseling”
- Eliminate Intake and Exhaust Valve Sticking

Part Number 88861802 – 16 oz.
New Bottle
(with 1 oz measuring chamber)
6 bottles per case

Special Precautions:

- This product is to be applied in closed systems only
- DO NOT use product in the fuel tank

It is recommended that a bottle of GM Fuel System Treatment Plus (Part Number 88861011) be added to the fuel tank per the label directions after each application of GM Upper Engine and Fuel Injector Cleaner.

GM Upper Engine and Fuel Injector Cleaner
(Part Number 88861802)
Replaces GM Part Number 1050002 and 12346535

Refer to GM Technical Service Bulletin 03-06-04-030C for specific service procedures.

See page 14 for additional product information.

Goodwrench

UPPER ENGINE AND FUEL INJECTOR CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	6	88861802

PRODUCT DESCRIPTION AND FUNCTION:
GM Upper Engine and Fuel Injector Cleaner is a low VOC compliant formulation that delivers immediate engine deposit cleaning. This product has multiple service applications including in-rail fuel injector cleaning, engine intake system deposit removal, and piston top soaking clean-up.

UPPER ENGINE AND FUEL INJECTOR CLEANER – AEROSOL

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
18 oz.	6	1052626

PRODUCT DESCRIPTION AND FUNCTION:
Cleans fuel injectors, intake manifolds, intake and exhaust valves, pistons, heads, and combustion chambers. Removes gum, varnish, and carbon to make tough tune-ups easy and long-lasting. This first step in tune-up cleaners will eliminate deposits that may cause rough idle, stalling, hesitation, pings, and run-on.

GM VEHICLE APPLICATION:
P/N 1052626 - For use with 6- and 8-cylinder carbureted engines.

DIESEL FUEL CONDITIONER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
11 oz.	6	88861009

PRODUCT DESCRIPTION AND FUNCTION:
Diesel Fuel Conditioner is a concentrated product formulated to increase cetane rating 2-6 numbers, resulting in reduced engine knock, improved low temperature starting, smoother idling, shortened warm-up time and reduced emissions. Removes fuel system deposits. Improves fuel economy. Provides excellent corrosion protection. Enhances fuel stability in storage. Provides exceptional fuel lubricity for reducing fuel pump and injector wear. Improves cold temperature flow and reduces cold temperature filter plugging.

FUEL SYSTEM TREATMENT PLUS

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
20 oz.	6	88861011

PRODUCT DESCRIPTION AND FUNCTION:
Cleans deposits from fuel injectors, carburetors, intake ports, intake valves and combustion chambers. Lowers emissions. Restores lost power and performance. Can help clean sulfur corrosion. Restores operation of sulfur contaminated fuel gauge sensors. GM recommends use with every oil change. (Bulletin # 04-06-04-051 and Bulletin # 05-00-89-078).

AUTOMATIC TRANSMISSION SEAL CONDITIONER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
11 oz.	12	88861314

PRODUCT DESCRIPTION AND FUNCTION:
Is designed to stop minor leaks or seepage of transmission fluid at the seals in automatic transmissions. This product contains seal swell, antioxidant, and dispresancy additives used in formulating automatic transmission fluids.

3-STEP FUEL INDUCTION CLEANER*

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	12	12378546

PRODUCT DESCRIPTION AND FUNCTION:
A 3-step fuel induction kit that is "Toluene Free" and is used for regular maintenance of de-carbonizing engines and keeping fuel injectors clean. The kit consists of:

- (1) 20 oz. Fuel System Treatment Plus 88861011
- (1) 5 oz. Throttle Body Cleaner 12378550
- (1) 16 oz. Induction Cleaner 12378552

GM VEHICLE APPLICATION:
This service should be recommended every 15,000 to 30,000 miles.

* Requires special tool: Kent-Moore Tool #J-35800-A

4-STEP ENGINE CLEANER KIT*

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	12	12378545

PRODUCT DESCRIPTION AND FUNCTION:
Created to resolve oil consumption concerns in the Northstar engine. Removes carbon on pistons, rings and the induction system of the engine. The kit consists of:

- (2) 12 oz. Piston and Ring Cleaner 12378549
- (1) 16 oz. Induction Cleaner 12378552
- (1) 5 oz. Throttle Body Cleaner 12378550

* Requires special tool: Kent-Moore Tool #J-35800-A

Goodwrench

Fuel System Treatment Plus

GM
VehicleCare
Fuel System
Treatment Plus
• Cleans the entire fuel system and restores lost power and performance caused by carbon deposit build-up
• Cleans and Protects fuel gauge sensors from harmful sulfur in some gasolines
1 #88861011 Gr. 8.800
DANGER! COMBUSTIBLE LIQUID AND VAPOR. HARMFUL OR FATAL IF SWALLOWED. SKIN IRRITANT.
Read Carefully Other Cautions on Back Panel.
NET CONTENTS 20 FL. OZ. (591 ml)

88861011 - 20 oz.
6 bottles per case

A proven in-the-tank fuel additive keeps getting BETTER! GM VEHICLE CARE Fuel System Treatment Plus works on the entire fuel system to clean carbon deposit buildup and protect sensitive fuel system components from corrosive elements in the fuel (sulfur, water, etc).

Fuel System Treatment Plus is fully compatible and protective in all commercially available ethanol blends (E10, E85, etc).

When engine deposit buildup is evident, this product helps:

- Clean deposits from fuel injectors, carburetors, intake ports, intake valves and combustion chambers
- Lower harmful emissions
- Restore lost power and performance

GM VEHICLE CARE Fuel System Treatment Plus cleans deposits from:

- Fuel Injectors, which can restrict fuel flow and cause improper fuel injection, resulting in poor fuel economy, higher emissions, loss of power/acceleration and rough idle
- Intake Valves, which can cause poor drivability, rough idle during warm-up, and loss of power/acceleration
- Combustion Chambers, which can cause engine knocking, pinging and run-on in older vehicles or loss of power in knock-sensor equipped vehicles

GM Fuel System Treatment Plus cleans and protects fuel system components. Regular use helps:

- Clean & Restore sensitive electronic fuel sending units from harmful sulfur and other corrosive elements
- Prevent fuel gauge malfunction caused by harmful corrosive components found in some gasolines
- Protect the entire fuel system by coating all metallic surfaces. This protection has been shown to last for thousands of miles

Directions:

- Pour entire bottle into a nearly empty tank and refuel with gasoline
- 20 oz bottle treats up to 20 gallons of fuel
- Minor over-treatment will have no adverse affects on engine
- Add to fuel tank at every oil change

ADD TO FUEL WITH EVERY OIL CHANGE

GM Bulletin # 04-06-04-051 recommends a bottle of GM Fuel System Treatment Plus be added to the fuel tank at every oil change. This is the only fuel system cleaning preventative maintenance treatment currently endorsed by GM for its gasoline engine fuel systems.

GM Bulletin # 05-00-89-078 recommends adding a bottle of GM Fuel System Treatment Plus to clean and protect against gasoline sulfurs that can harm fuel gauge sensors. This treatment should be added to the fuel tank at every oil change.

See page 14 for additional product information.

GM DIESEL FUEL CONDITIONER

Applications

General Motors Diesel Fuel Conditioner is recommended for use in all engine applications using #1 or #2 diesel fuels. This product is the answer to your diesel fuel problems.

About The Product

General Motors *Diesel Fuel Conditioner* is a highly effective detergent/dispersant additive designed to remove fuel injector, intake valve, and combustion chamber deposits. The end user of the treated fuel will appreciate improved drivability, reduced emissions, longer component life, and reduced operating costs.

Features

- Improves fuel economy.
- Increased cetane number resulting in reduced engine knock, improved low temperature starting, smoother idling, shortened warm-up time, and reduced emissions.
- Removes deposits from fuel system, injectors, intake and combustion chamber.
- Provides exceptional fuel lubricity with Ultra Low Sulfur Diesel (ULSD), reducing fuel pump and injector wear.
- Improves cold temperature fuel flow and reduces filter plugging.
- Provides excellent corrosion protection.
- Enhances fuel stability in storage.
- Alcohol free.

11 oz. Bottle
(6 Units Per Case)
1 Bottle Treats 30 Gallons
Part Number 88861009

See page 14 for additional product information.

Goodwrench

AXLE

AXLE LUBRICANT (80W-90) GL-4

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
23 oz.	12	89021671

PRODUCT DESCRIPTION AND FUNCTION:
A specially formulated, multi-purpose axle gear lubricant for use with limited slip and conventional type axles. It is specially designed for proper year-round lubrication and can withstand wear.

- Excellent axle durability
- Compatible with limited slip friction modifiers
- Compatible with seals/elastomers

GM VEHICLE APPLICATION:
See service manual for GM vehicle application.
Suitable for GM applications requiring GM spec 9985290.

SYNTHETIC AXLE LUBRICANT (75W-90) GL-5

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
32 oz.	12	89021675

PRODUCT DESCRIPTION AND FUNCTION:
Heavy duty, extreme pressure GL-5 gear lube. Contains extreme pressure additives as well as rust, oxidation and corrosion inhibitors to protect gears and bearings. The high and low temperature performance of these products exceeds those of conventional hypoid gear lubricants.

GM VEHICLE APPLICATION:
Medium Duty Trucks, Topkick/Kodiak.
Use where heat and wear present major problems. These include manual transmissions (where EP type lubricants are recommended), differentials (including limited slip and transfer cases for heavy equipment) trucks, tractors and industrial gear drives.

LIMITED SLIP AXLE LUBRICANT ADDITIVE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
4 oz.	12	1052358

PRODUCT DESCRIPTION AND FUNCTION:
- Reduces friction and noise in the rear axle
- Required for passenger car applications limited-slip axles

GM VEHICLE APPLICATION:
See service manual for GM vehicle application.

SYNTHETIC AXLE LUBRICANT (75W-140)

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 qt.	12	89021524

PRODUCT DESCRIPTION AND FUNCTION:
A fully synthetic, wide viscosity span automotive GL-5 gear lubricant. This product's superior low/high temperature properties ensures that bearings, gears, and seals receive proper lubrication at temperatures as low as -40°C while providing superior load-carrying ability and protection from gear wear at elevated temperatures encountered in high ambients or trailer tow and other severe service applications.

- Superior thermal and oxidation stability
- Compatible with most conventional automotive gear oils
- Formulated without viscosity index improves
- High shear stability/stay in-grade performance

GM VEHICLE APPLICATION:
For use only on 3500 HD Pickups.

SYNTHETIC AXLE LUBRICANT (75W-90)

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 qt.	12	89021677
1 qt.	528	88861188*

PRODUCT DESCRIPTION AND FUNCTION:
Heavy-duty extreme pressure GL-5 axle lubricant. Withstands high temperatures encountered during extended high-speed operation and heavy towing. Retains excellent fluidity at cold temperatures.

- Fully synthetic formulation
- Superior oxidation and thermal stability
- Long fluid life
- New grape scent

GM VEHICLE APPLICATION:
1998-2000 F Cars–Camaro–Firebird
1999-2000 Corvette
1999-2000 Sierra/Silverado
2000 CK Utility
May also be used in:
– Front Axles - 1995 to current
– Rear Axles - 8.6" only, 1989 to 1998

* Not part of Vehicle Care Pallet Program.

AXLE CONTINUED

QUADRASTEER™ SYNTHETIC AXLE GEAR LUBRICANT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
32 oz.	12	12378557

PRODUCT DESCRIPTION AND FUNCTION:
The QUADRASTEER™ Synthetic Axle Gear Lubricant is a gear lubricant comprised of a synthetic basestock to give the product a high viscosity index and an exceptionally low pour point. QUADRASTEER™ Synthetic Axle Gear Lubricant is specially formulated with extreme pressure additives, as well as rust, oxidation and corrosion inhibitors to protect gears and bearings operated over a wide variety of load conditions. A limited slip additive has been incorporated into this lubricant, so no additional top treat for limited slip axle applications is normally necessary.

- Out performs Conventional Gear Lubricants
- Increased gear life
- Better operating temperature performance

GM VEHICLE APPLICATION:
- This product meets GM specification 9986207. Refer to service manual for GM vehicle application.

REAR AXLE LUBE (80W-90) GL-5

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
23 oz.	12	89021669

PRODUCT DESCRIPTION AND FUNCTION:
A special formula multi-purpose axle lubricant for use with conventional type axles. Superior oxidation resistance. Longer seal life. Does not contain a limited slip additive.

GM VEHICLE APPLICATION:
Passenger cars only. Not for use in trucks. See service manual for applications.

REAR AXLE LUBRICANT (75W-85)

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
33.8 oz.	4	92184900

PRODUCT DESCRIPTION AND FUNCTION:
Rear Axle Lubricant 75W85 approved to Allison Transmission® specification TES-295. See service manual for GM vehicle application.

BRAKES

SUPER DOT-4 BRAKE AND CLUTCH FLUID

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
250 ml.	1	88958860

PRODUCT DESCRIPTION AND FUNCTION:
Super DOT-4 Brake and Clutch Fluid exceeds the international specifications SAE J 1703, ISO 4925, as well as the U.S. safety standard FMVSS 116 DOT 4. Super DOT-4 brake fluid can be mixed with any other well-known brake fluids with same specifications. This DOT-4 brake fluid is chemically stable and contains additives guaranteeing best lubricating properties.

GM VEHICLE APPLICATION:
Pontiac GTO, Pontiac G8, and Saturn Astra.

Goodwrench

BRAKES CONTINUED

BRAKE FLUID DOT 3 (MODIFIED)

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
12 oz.	12	88862806

PRODUCT DESCRIPTION AND FUNCTION:
This specification covers DOT 3 motor vehicle hydraulic brake fluid, non-petroleum, non-silicone types for use in the braking system of motor vehicles. This brake fluid is NOT for use on hybrid HBCL modules. It is approved to GM 9986298 and meets SAE J1703 and FMVSS 166 specifications. It has a modified lubricity for use in applications where master cylinder squeaks may be an issue.

GM VEHICLE APPLICATION:
Buick Enclave, Buick Lucerne, Cadillac DTS, Cadillac XLR, Chevrolet Camaro, Chevrolet Corvette, Chevrolet Malibu, Chevrolet Malibu Hybrid, Chevrolet Trailblazer, Chevrolet Traverse, GMC Acadia, GMC Envoy, Pontiac G6, Saab 9-7X, Saturn Aura, Saturn Aura Hybrid, and Saturn Outlook.

BRAKE CALIPER LUBRICANT – CARTRIDGE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
14 oz.	1	12377969

PRODUCT DESCRIPTION AND FUNCTION:
Provides a water-resistant coating on brake caliper slide surfaces. This product is required to equalize pressure between inner and outer brake pads. With regular use it will extend brake pad life.

- Water resistant
- Prevents sticking of brake calipers
- Prevents corrosion
- Extends brake pad life

GM VEHICLE APPLICATION:
Required for periodic maintenance of medium-duty truck brake calipers.

SILICONE BRAKE LUBRICANT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
8 oz.	12	88862181

PRODUCT DESCRIPTION AND FUNCTION:
This lubricant is a PTFE thickened silicone compound containing specially selected premium silicone oils and high levels of PTFE. It combines the excellent temperature, corrosion and water resistance, typical of silicone compounds, with the outstanding lubrication properties of PTFE. Silicone Brake Lubricant is compatible with most rubber and plastic compounds.

BRAKE FLUID – DELCO SUPREME 11

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	24	12377967

PRODUCT DESCRIPTION AND FUNCTION:
Recommended for all vehicles requiring DOT 3 brake fluid. This product is compatible with all disc and drum brake systems. It contains enhanced corrosion inhibitors for unsurpassed protection against corrosion to protect expensive brake system components.

- Exceeds DOT 3 and FMVSS116
- For use in disc and drum brake systems
- Contains enhanced corrosion inhibitors

GM VEHICLE APPLICATION:
Buick Allure, Buick LaCrosse, Cadillac Escalade, Chevrolet Avalanche, Chevrolet Aveo, Chevrolet Cobalt, Chevrolet Colorado, Chevrolet Equinox, Chevrolet Express, Chevrolet HHR, Chevrolet Impala, Chevrolet Silverado, Chevrolet Suburban, Chevrolet Tahoe, Chevrolet Uplander, GMC Canyon, GMC Savana, GMC Sierra, GMC Yukon, Hummer H2, Hummer H3, Pontiac G3, Pontiac G5, Pontiac Montana SV6, Pontiac Solstice, Pontiac Torrent, Pontiac Vibe, Saturn Sky, and Saturn Vue.

ENGINE

E.O.S ASSEMBLY LUBRICANT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	12	88862586

PRODUCT DESCRIPTION AND FUNCTION:
This E.O.S. Assembly Lubricant is specifically formulated as an engine assembly lubricant that provides outstanding protection against run-in wear and piston scuffing, as well as run-in camshaft lobe and lifter scuffing resulting from insufficient lubrication.

GM recommends E.O.S. Assembly Lubricant only for the specific purposes listed on the product label. GM does not recommend the use of this product as an additive to engine oil.

DIELECTRIC SILICONE GREASE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 oz.	6	12345579

PRODUCT DESCRIPTION AND FUNCTION:
A silica thickened dimethyl silicone fluid
- Broad temperature range: -65°F to 400°F
- Oxidation resistant
- Radiation resistant
- Water repellent
- Non-corrosive
- Chemically inactive
- Long shelf life

GM VEHICLE APPLICATION:
Lubricates and seals spark plug boots. May be used as weather-strip lubricant.

SUPERCHARGER OIL

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
4 oz.	12	12345982

PRODUCT DESCRIPTION AND FUNCTION:
Used to keep supercharger bearings operating properly.

GM VEHICLE APPLICATION:
For use with all supercharged GM vehicles.

TRANSFER CASE

AUTO TRAK II TRANSFER CASE FLUID

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
33.8 oz.	12	12378508

PRODUCT DESCRIPTION AND FUNCTION:
Approved for use in GM four-wheel-drive vehicles with transfer cases as recommended in the Owner's Manual or GM service bulletins. This product also has improved oxidation resistance for extended life.
- For four-wheel-drive vehicles with automatic transfer cases
- Withstands extended high-temperature operation
- Improved oxidation resistance

SPECIAL PRECAUTIONS:
Do not overfill transfer case. Do not pollute. Return used fluid to collection centers.

VERSATRAK® TRANSFER CASE FLUID

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16.9 oz.	12	12378514

PRODUCT DESCRIPTION AND FUNCTION:
GM VERSATRAK® Fluid is a blend of synthetic base oils and performance additives specially formulated to give the proper friction characteristics, gear protection, and oxidation resistance needed for the transfer case and carrier assembly-differential in the VERSATRAK® All Wheel Drive System.
- Provides proper friction characteristics and gear protection
- Resists oxidation

SPECIAL PRECAUTIONS:
- Do not use VERSATRAK® Fluid in standard or limited slip rear axles.
- Use VERSATRAK® Fluid only in applications which specify VERSATRAK® Fluid.

TRANSFER CASE FLUID

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
33.8 oz.	12	88861950

PRODUCT DESCRIPTION AND FUNCTION:
For use in GM North America for active transfer cases supplied by BorgWarner. (BW 4477 2008 CTS).

Goodwrench

DEXRON®-VI AUTOMATIC TRANSMISSION FLUID

DESCRIPTION	PART NUMBER
QUART	88861003
GALLON	88861045
DRUM (55 gallon)	88861046

ATF purchases earn:

- **5% Return Reserve**
- **3.25% Customer Focus Incentive (Dealer must qualify to receive). Maximum discount for RIM Dealers**

2005 and prior models that currently use DEXRON®-III may use DEXRON®-VI as a replacement.

All 2006 and future models that use DEXRON®-VI are to be serviced with DEXRON®-VI fluid only.

DEXRON®-VI is an improvement over DEXRON®-III in the following areas:

Extended Factory Fill For Life	
Clutch Friction Stability	Improved 100%
Clutch Durability Due To Fluid	Improved 120%
Oil Film Thickness	Increased 20%
Fluid Oxidation	Improved 100%
Foam/Aeration	Improved 150%
Shear Stability	Improved 200%

DEXRON®-VI

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 qt.	12	88861003
1 gal.	4	88861045
55 gal.	1	88861046

PRODUCT DESCRIPTION AND FUNCTION:
The most recent release of the Dexron series of automotive transmission fluids.

GM VEHICLE APPLICATION:
See service manual for additional application.

T-IV AUTOMATIC TRANSMISSION FLUID

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 qt.	6	88900925

GM VEHICLE APPLICATION:
Used in the:
- Pontiac Vibe
- Saturn Vue
- Chevrolet Aveo

WS-ATF AUTOMATIC TRANSMISSION FLUID

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
32 oz.	12	88863400

PRODUCT DESCRIPTION AND FUNCTION:
WS-ATF is not compatible with any other ATF-type fluids.

GM VEHICLE APPLICATION:
For use in 2009+ Pontiac Vibe.

MANUAL TRANSMISSION FLUID (75W-90) GL-3

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
32 oz.	12	89021806

GM VEHICLE APPLICATION:
For use in MA5 manual transmission for GMT 345, GMT 355 Trucks and GMX 020 Cobalt Pursuit and G5 Passenger only.

MANUAL TRANSMISSION FLUID

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 qt.	12	88861800

PRODUCT DESCRIPTION AND FUNCTION:
Petroleum based manual transmission fluid for lubrication/ service of 2007+ manual transmissions and transfer cases.

MANUAL TRANSMISSION FLUID (LSC 301)

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 L	1	88863349

PRODUCT DESCRIPTION AND FUNCTION:
A long-life, partial synthetic oil with excellent friction characteristics that prevent clutch stick slip and good lube and shear performance. Fluid prevents corrosion and is compatible with clutch elastomers. It is a genuine and unique oil that manages temperatures as low as -30C to as high as 140C. This oil maintains a homogen friction characteristic throughout its lifetime.

TRANSMISSION FLUID CONTINUED

MANUAL TRANSMISSION LUBRICANT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
32 oz.	6	21018899

PRODUCT DESCRIPTION AND FUNCTION:
Product is recommended for most manual transmissions where API GL4 lubricants are required.

TRANSYND™ MANUAL TRANSMISSION FLUID

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
32 oz.	12	12378515

PRODUCT DESCRIPTION AND FUNCTION:
- Excellent thermal and oxidation stability resists deposit formation
- High viscosity index synthetic base fluid provides superior high/low temperature performance
- Excellent shear stability
- Excellent corrosion and foaming resistance
- Extended drain intervals
- One fluid for year-round use in all geographic locations

GM VEHICLE APPLICATION:
See service manual for GM vehicle application.
TranSynd™ meets GM 9986198 specification.

SYNCHROMESH TRANSMISSION FLUID

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
32 oz.	12	12345349

PRODUCT DESCRIPTION AND FUNCTION:
Designed specifically for use in GM manual transmissions. This product has excellent lubrication properties and does not break down. Withstands high temperatures and functions well in low temperatures. Amber-colored, light-bodied, partially synthetic manual transmission fluid.
- Excellent as a lubricant
- Withstands high temperatures

GM VEHICLE APPLICATION:
See service manual for GM vehicle application.

SYNCHROMESH MANUAL TRANSMISSION FLUID FRICTION MODIFIED

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
32 oz.	1	12377916

PRODUCT DESCRIPTION AND FUNCTION:
A semi-synthetic lubricant for use in NV 1500 transmissions. It is highly friction-modified to reduce transmission component wear.
- Semi-synthetic
- Friction-modified

GM VEHICLE APPLICATION:
See service manual for GM vehicle application.

SYNTHETIC MANUAL TRANSMISSION FLUID (75W-90 – GL4)

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 qt.	6	12346190

PRODUCT DESCRIPTION AND FUNCTION:
A fully synthetic fluid that can withstand high temperatures and extreme pressures in constant use.
Stable against thermal and oxidation breakdown.

GM VEHICLE APPLICATION:
See service manual for application.

SYNTHETIC MANUAL TRANSMISSION FLUID (SAE 50)

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 gal.	4	88861952

PRODUCT DESCRIPTION AND FUNCTION:
Is a specially formulated lubricant designed for severe service in heavy duty manual transmissions. It is an exceptional, high-temperature lubricant with all-climate lubricating properties. This product contains rust, oxidation and corrosion inhibitors.

It meets all of the requirements of Eaton PS-164 and Meritor O-81 for extended drain service. It also reduces component wear and promotes longer transmission life.

WHEEL BEARING LUBRICANT – TUB

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	12	1051344

PRODUCT DESCRIPTION AND FUNCTION:
A special blend of lithium complex thickening agents, oils, and lubrication additives. A high-quality grease suitable for both medium- and high-temperature applications. Good water washout resistance. NLGI GC-LB approved.

- Ideal for wheel bearing applications
- High-temperature protection
- High-performance lubricant

GM VEHICLE APPLICATION:
See service manual for vehicle application.

MOISTURE DISPLACING LUBRICANT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
9 oz.	12	88862629

PRODUCT DESCRIPTION AND FUNCTION:
This product is a special lubricant used to displace moisture, quiet squeaks, and penetrate rust to free corroded nuts and bolts. It has excellent corrosion protection properties. DPL is a clear and clean lubricant. Product is VOC compliant.

DRI-SLIDE LUBRICANT – AEROSOL

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
6 oz.	12	1052948

PRODUCT DESCRIPTION AND FUNCTION:
A special blend of molybdenum disulfide, graphite, and corrosion inhibitors in a mineral spirit blend. It has a high load-carrying capacity, excellent corrosion properties, and metal-to-metal wear protection. The mineral spirit blend, when applied, evaporates to leave a semi-dry film that will not attract dust and dirt.

- Leaves dry film
- Metal-to-metal lubricant

GM VEHICLE APPLICATION:
For use with all GM vehicles.

WEATHERSTRIP LUBRICANT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
50 gm.	1	3634770

PRODUCT DESCRIPTION AND FUNCTION:
This easily applied lubricant has a very low evaporation rate, is insoluble in all common solvents, and does not react with paint or adhesives. Non-flammable, odorless, and colorless.

A high-performance lubricant used in many automotive applications to reduce squeaks and rattles. Some of these applications include:

- Fan clutch bearings
- ABS braking systems
- Convertible top seal, front door seals, and sliding door seals
- T-top weatherstripping

GM VEHICLE APPLICATION:
Used with all GM vehicles.

SPECIAL LUBRICANT HIGH TEMPERATURE – C1, 2 W/A.T.

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 lb.	1	12345879

PRODUCT DESCRIPTION AND FUNCTION:
High-quality, multi-purpose grease. Contains PTFE, corrosion and rust inhibitors, along with water-resistant additives.

- PTFE-filled
- Non-melting

GM VEHICLE APPLICATION:
For use on gears, slides, bearings, cams, and prop shaft splines.

RUBBER LUBRICANT



CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
5 gal.	1	12345884

PRODUCT DESCRIPTION AND FUNCTION:
An odorless, slightly viscous clear liquid specifically formulated to meet GM rubber lubrication requirements. It is especially suited for use as a lubricant in any manual or automatic tire-mounting operation. The material is water-based and any residues can be easily rinsed off with tap water.

GM VEHICLE APPLICATION:
Mounting lubricant for tire mounting, rubber weatherstrip, rubber bumpers and hoses.

GENERAL CONTINUED

HIGH-TEMPERATURE GREASE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1.75 oz.	6	12345996

PRODUCT DESCRIPTION AND FUNCTION:
This product is designed for higher temperature applications that require grease. It is a special ivory-colored high-temperature grease with petroleum oil, special lubricity additives and thickening elements. It is extremely water-resistant, even with salt water.

GM VEHICLE APPLICATION:
For use with all GM vehicles.

SUPER LUBE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
11 oz.	12	12346241

PRODUCT DESCRIPTION AND FUNCTION:
For use on metal, rubber, and plastics.
- Sprays as a liquid, gels to a grease
- Excellent lubricant for metal, rubber, and plastics

GM VEHICLE APPLICATION:
Used with all GM vehicles.

MULTI-PURPOSE LUBRICANT

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
11 oz.	6	89021668

PRODUCT DESCRIPTION AND FUNCTION:
A multi-purpose, light-colored, medium-density grease-type lubricant. It sprays like a fluid, gels to a grease. It has a high level of water resistance, chemical resistance, and acid resistance. It is excellent in close tolerance situations where no grease fitting exists. It will not dry up. Resists temperatures up to 265° F and is resistant to acid.
- Water repellent
- Resists rust and corrosion
- Eliminates annoying squeaks

GM VEHICLE APPLICATION:
Used with all GM vehicles.

SYNTHETIC LUBRICANT WITH TEFLON®

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
3 oz.	6	12371287

PRODUCT DESCRIPTION AND FUNCTION:
A fully synthetic lubricant that is Teflon®-filled and specifically made for noise and wear reduction. Other characteristics:
- Dielectric
- All-temperature use: -45°F to 450°F
- Non-toxic
- Non-corrosive
- Impervious to salt and fresh water
- Highly lubricious, less friction
- Will not attack plastic parts

GM VEHICLE APPLICATION:
For use on door hinges, battery terminals and sliding tracks. Can also be used on weather-stripping, spark plug boots, O-ring assembly, seat tracks/pivot hinges, and lock strikers. Holes drilled during accessory installation can be coated with this product.

NICKEL ANTI-SEIZE LUBRICANT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
8 oz.	12	12371386

PRODUCT DESCRIPTION AND FUNCTION:
This product features a graphite/calcium fluoride formulation that is free from lead, copper, sulfur, and their compounds. Use on bolts, screws, studs, pipe joints, nuts, plugs, shafts, bushings, splines, mechanical packaging, and wire rope.
- Contains no free metals

GM VEHICLE APPLICATION:
Recommended for anti-seize lube applications. Compatible with stainless steel and other nickel alloys. Should be applied to all mating surfaces.

SPECIAL PRECAUTIONS:
This product contains hydrocarbons — do not use on oxygen (O2) sensors.

DIELECTRIC LUBRICANT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
2 oz.	12	12377900

PRODUCT DESCRIPTION AND FUNCTION:
Used to protect electrical terminals from moisture, oxidation, and corrosion and to ease the assembly of electrical connectors.

Directions for Use:

1. If electrical terminals have corroded, remove corrosion or replace terminals.
2. Using a small brush, apply Dielectric grease generously to both male and female terminals.
3. Assemble connectors.

GM VEHICLE APPLICATION:
Used with all GM vehicles.

CHASSIS GREASE – CARTRIDGE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
14 oz.	10	12377985

PRODUCT DESCRIPTION AND FUNCTION:
A premium grease for chassis lubrication. Made up of special grease consisting of oil, lithium thickening agents, and special lubricants.

- Lead-free formulation
- Resists water

GM VEHICLE APPLICATION:
For standard chassis lubrication on all GM vehicles.

DEXRON® LS GEAR OIL (75W-90)

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
32 oz.	12	88862624

PRODUCT DESCRIPTION AND FUNCTION:
See your service manual for use, filling and change recommendations.

This fluid already contains limited slip friction modifier. A top treat additive is not needed.

A/C SYSTEM LUBRICANT

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
3.5 oz.	6	88862657

PRODUCT DESCRIPTION AND FUNCTION:
A/C lubricant meets GM spec 9986277 for 2008+ GMT800 Tahoe/Yukon. Use with Kent-Moore J45037 kit.

MULTI-PURPOSE LUBRICANT

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
14 oz.	1	89022180

PRODUCT DESCRIPTION AND FUNCTION:
Teflon® lubricant intended to reduce friction in mechanical applications such as bearings, gears and sliders.

SYNTHETIC MULTI-PURPOSE LUBRICANT

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1.75 oz.	1	88861426

PRODUCT DESCRIPTION AND FUNCTION:
For lubrication of actuator rod knob/base assembly for 2007+ GMC Acadia, 2007+ Saturn Outlook, and 2008+ Buick Enclave.

R134a TRACER DYE – BOTTLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
.25 oz.	12	12346303

PRODUCT DESCRIPTION AND FUNCTION:
Maintains PAG lubricant viscosity to GM specifications. Pinpoints leaks fast for the technician to find. Is not affected by other engine gases or air turbulence. Can help you save valuable refrigerant used for diagnostics. Remains active in the A/C system for future leak detection.

GM VEHICLE APPLICATION:
For use with vehicles equipped with R134a air conditioning systems.

REFRIGERANT R134a

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
30 lbs.	1	12356150

PRODUCT DESCRIPTION AND FUNCTION:
A non-ozone-depleting gas used for current air conditioning systems and a retrofit fluid for older systems.
KLEA 134A, 30-lb. disposable cylinder.

GM VEHICLE APPLICATION:
All vehicles equipped with the R134a air conditioning system.
Does not qualify for any discounts. Will help GM Vehicle Care product orders qualify for additional discounts.

UNIVERSAL PAG OIL

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
8 oz.	6	12378526

PRODUCT DESCRIPTION AND FUNCTION:
GM Universal Compressor Oil is a lubricant formulated for automotive air conditioning systems using R134a refrigerants. It is more stable than other compressor oils, particularly in the presence of high temperatures, pressure and moisture.

- Compatible with R134a
- OEM approved and recommended for service and retrofit

A/C COMPRESSOR OIL – 90-93 (GEO STORM) ONLY

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	12	12345762

PRODUCT DESCRIPTION AND FUNCTION:
Unsurpassed lubricity for wear protection. Chemical, thermal, and hydrolytic stability. Far less hygroscopic than ordinary PAG. Compatible with R12. Superior performance over POE and ordinary PAG. Designed to last the lifetime of the compressor.

- Compatible with elastomers
- For use only in rotary vane compressors
- Excellent lubricity for wear protection
- Unique formulation

GM VEHICLE APPLICATION:
Used in 1990-1993 GEO Storms.

COOLING COIL COATING APPLICATOR KIT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 Kit	1	12346391

PRODUCT DESCRIPTION AND FUNCTION:
Covers evaporator with a thin acrylic coating that helps surfaces shed odor-causing moisture quickly.

- Long-lasting protective coating
- Improves A/C efficiency
- Quick 20-minute application
- Vehicle drivable in one hour

COOLING COIL COATING (REFILL FOR KIT, PART NUMBER 12346391)

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
4 oz.	2	12346390

PRODUCT DESCRIPTION AND FUNCTION:
Covers evaporator with a thin acrylic coating that helps surfaces shed odor-causing moisture quickly.

- Long-lasting protective coating
- Improves A/C efficiency
- Quick 20-minute application
- Vehicle drivable in one hour

Trouble Finding Air Conditioning Leaks?

That leak site will glow with A/C Fluorescent Leak Detection Dye

.025 oz. Bottle
(12 Units Per Case)
Part Number
12346303

Nothing equals GM Vehicle Care R134a A/C fluorescent leak detection dye (Part No. 12346303). This thermally stable and highly fluorescent R134a dye maintains PAG lubricant viscosity.

The dye meets General Motors specifications and is approved by GM for R134a A/C systems. Using this dye will help your service technicians find problem refrigerant leaks the quick and easy way. The ability to find problem leaks the first time will increase your A/C service dollars and customer satisfaction.

The ONLY Long-Term Solution to A/C Odor
Cooling Coil Coating is the ONLY GM approved A/C odor remedy.
(GM TSB #99-01-39-004B)
Why? Cooling Coil Coating is the only product that leaves a long-lasting coating.
Other products offer only short-term results.
Cooling Coil Coating provides long-term odor protection.
80%
Cooling Coil Coating
Liquid Disinfectant
24%
Foam & Citris Cleaners
0%
Bacteria Reduction After 48 hrs.
Source: Current Microbiology Vol. 41 (May, 2000), pp. 206-9, L.J. Rose, R.B. Simmons, S.A. Crow, D.G. Ahlam
COOLING COIL COATING KIT
p/n: 12346391
Kit includes one 4-oz. non-aerosol bottle of Cooling Coil Coating and (1) Ulti-Flex applicator tool.
NON-AEROSOL KIT REFILL
p/n: 12346390
Contains two 4-oz. bottle of Cooling Coil Coating
ELECTRONIC EVAPORATOR DRYER
p/n: 12497910
Combine with Cooling Coil Coating for A/C odor protection that lasts the life of the vehicle. Available through GM/SPO
AEROSOL COOLING COIL COATING
p/n: 12377951
Contains two 6-oz. cans of Cooling Coil Coating
Faster, Easier Application with NEW flexible applicator tool

COOLING COIL COATING AND DEODORIZER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
6 oz.	2	12377951

PRODUCT DESCRIPTION AND FUNCTION:
Eliminates mold, mildew, and bacteria that cause odors in your a/c system, and does not cause bacteria-carrying moisture to build up. It provides a smooth, protective coating for a/c surfaces that prevents dirt and microbes from sticking while continuing to protect the system from regrowth of bacteria, mold, and mildew. It is odor-free and contains no hazardous chemicals. The active ingredient is EPA-registered and is safe for you and the environment.

- Prevents bacteria regrowth
- Non-toxic, non-allergic, and no odor
- No disassembly required

GM VEHICLE APPLICATION:
All vehicles equipped with air conditioning.

R12 A/C FLUORESCENT TRACER DYE – DISPOSABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
.25 oz.	12	12378509

PRODUCT DESCRIPTION AND FUNCTION:
Maintains mineral oil viscosity to GM specifications. Solvent-free formula pinpoints leaks fast and remains safely active in the A/C system for future leak detection. Disposable, premeasured dosing is easy to use and can help save valuable refrigerant.

GM VEHICLE APPLICATION:
For use with vehicles equipped with R12 mineral oil air conditioning systems. Used in conjunction with the ultraviolet leak detection lamp kit to detect refrigerant leaks.

FLUORESCENT DYE REMOVER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	24	12378199

PRODUCT DESCRIPTION AND FUNCTION:
Quickly removes traces of dye that remains around leak site. Cleaning traces of dye around leak site helps prevent possible false diagnosis and unnecessary parts replacement.

NOTE: Safe for technicians and the environment.

4 IN 1 FLUORESCENT DYE



CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 oz.	24	88861206

PRODUCT DESCRIPTION AND FUNCTION:
May be used in gasoline and diesel engine oil, power steering fluid, ATF, gasoline or diesel fuel.
Specially formulated with two different dyes – one designed to fluoresce best under UV light and the other under blue light – for optimal fluorescence.

A/C SYSTEM FLUORESCENT TRACER INJECTOR PACKAGE DYE

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	1	12353008

PRODUCT DESCRIPTION AND FUNCTION:
This package includes the dye injector valve assembly, a hose assembly (connected to the valve assembly), and two instruction sheets. This package is required to install air conditioning system fluorescent tracer dye. The reservoir of the injector holds exactly 1/4 oz. of tracer dye, the exact amount needed for an automobile R12 system.

COOLANT SYSTEM FLUORESCENT TRACER DYE

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 oz.	24	12378563

PRODUCT DESCRIPTION AND FUNCTION:
Fluorescent leak detection dye for traditional coolant systems. Quickly pinpoints the exact location of coolant fluid leaks. It is a safe, easy method that eliminates guesswork, saves labor and speeds service. May also be used to isolate power steering system leaks.

ANTIFREEZE – COOLANT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 gal.	6 (18 unit minimum order)	12378560
55 gal. drum	1	12378561

PRODUCT DESCRIPTION AND FUNCTION:
A high-boiling, non-evaporating antifreeze-coolant preparation containing chemical ingredients to protect against rust and corrosion. Can be used with either low- or high-opening thermostats and at high altitudes. It will not harm rubber hoses, pump seals, or gaskets.

GM Antifreeze-Coolant mixes perfectly with water, flows freely and transfers heat efficiently. Protects to -34°F. Protects aluminum components.

GM VEHICLE APPLICATION:
For 1995 and prior vehicles except medium-duty truck.

SPECIAL PRECAUTIONS:
Do not add to cooling systems that require DEX-COOL.

In compliance with the Oregon Toxic Household Act, Antifreeze Products can only be purchased for use in professional vehicle repair facilities and cannot be displayed for sale or sold to consumers. By ordering this product, you agree not to sell it to customers in Oregon.

DEX-COOL® ANTIFREEZE*

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 gal.	6 (24 unit minimum order)	12346290
55 gal. drum	1	12377963

PRODUCT DESCRIPTION AND FUNCTION:
- 5 years/150,000 miles of protection
- Silicate and phosphate-free
- Superior water pump life

May also be used for service of 1994-95 GM vehicles except 1994 Cavaliers/Sunfires with 4-cylinder engines, but must be replaced every 2 years/30,000 miles whenever it is used in a vehicle not originally made to use DEX-COOL.

*In an effort to improve the quality of your Vehicle Care shipment, a minimum order of four (4) cases has been established for the following part numbers: Coolant 12378560 and DEX-COOL 12346290. Any orders not placed in multiples of 24 will be automatically increased to the next multiple.

GM VEHICLE APPLICATION:
For use with all GM vehicles. This is the only coolant that may be used for all GM vehicles '96 and later.

SPECIAL PRECAUTIONS:
Must never be mixed with other types of coolant.

In compliance with the Oregon Toxic Household Act, Antifreeze Products can only be purchased for use in professional vehicle repair facilities and cannot be displayed for sale or sold to consumers. By ordering this product, you agree not to sell it to customers in Oregon.

DEX-COOL® 50/50 PREMIX ANTIFREEZE/COOLANT (without Bitterant)

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 gal.	6 (24 unit minimum order)	12378390

PRODUCT DESCRIPTION AND FUNCTION:
This product is a premium grade coolant designed to specifically meet hybrid car and truck requirements. The coolant is based on a carboxylate technology and has the properties needed to optimize the efficiencies of the new hybrid vehicles.
- Meets GM Specification 9986100
- Is safe for use in GM Conventional and Hybrid cooling systems
- Silicate and Phosphate Free
- Without bitterant

GM VEHICLE APPLICATION:
For use in GM Conventional and Hybrid cooling systems.

SPECIAL PRECAUTIONS:
DO NOT ADD WATER. This product is prediluted with deionized water. Avoid contamination with other coolants, which will reduce the service life of this product.

DEX-COOL® 50/50 PREMIX ANTIFREEZE/COOLANT (with Bitterant)

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 gal.	6 (24 unit minimum order)	88863460

PRODUCT DESCRIPTION AND FUNCTION:
This product is a premium grade coolant designed to specifically meet hybrid car and truck requirements. The coolant is based on a carboxylate technology and has the properties needed to optimize the efficiencies of the new hybrid vehicles.
- Meets GM Specification 9986100
- Is safe for use in GM Conventional and Hybrid cooling systems
- Silicate and Phosphate Free
- With bitterant

GM VEHICLE APPLICATION:
For use in GM Conventional and Hybrid cooling systems.

SPECIAL PRECAUTIONS:
DO NOT ADD WATER. This product is prediluted with deionized water. Avoid contamination with other coolants, which will reduce the service life of this product.

COOLING CONTINUED

COOLING SYSTEM SEAL TABS

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
5 4-gram tablets	24	12378254
6 10-gram tablets	24	3634621

PRODUCT DESCRIPTION AND FUNCTION:
Original organic formula designed for use in radiator systems to seal leaks and prevent leaks due to casting porosity in engine components.

- Seals minor leaks and porosity in cooling systems
- DEX-COOL compatible
- Non-Toxic

GM VEHICLE APPLICATION:
1999 and beyond: 4.6 liter Northstar V8 only
1998 and prior: See following applications

4- AND 6-CYLINDER APPLICATIONS: 20g of material. 5 pellets (1 package) of 12378254 or 2 pellets (1/3 package) of 3634621.
NORTHSTAR: 30g of material. 7 pellets (1.4 package) of 12378254 or 3 pellets (1/2 package) of 3634621.
8-CYLINDER "PREMIUM V8" CADILLAC AND BIG-BLOCK: 60g of material. 15 pellets (3 packages) of 12378254 or 6 pellets (1 package) of 3634621.
OTHER V8 AND ALL OTHER ENGINE APPLICATIONS: based on liters of volume in cooling system.

COOLING SYSTEM FAST FLUSH

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	12	89021562

PRODUCT DESCRIPTION AND FUNCTION:
Cooling system flush cleans radiator, heater and engine block in one easy operation. Helps prevent overheating and increases effective operation by dissolving rust and grease.

GM VEHICLE APPLICATION:
For use with all GM vehicles.

COOLANT SYSTEM TRACER DYE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 oz.	24	89022219

PRODUCT DESCRIPTION AND FUNCTION:
Specifically formulated for use with Dex-Cool (orange), but may also be used with traditional coolant (green). Long life coolant will not change orange color.

Fluorescent leak detection dye is used in conjunction with ultraviolet and UV/blue light lamps to pinpoint leak sources in cooling systems. The dye glows brightly and will not compromise the effectiveness of the coolant in the system.

HEAVY DUTY COOLING SYSTEM CLEANER

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	12	88861344

PRODUCT DESCRIPTION AND FUNCTION:
Remediation of iron corrosion in T-utilities underfilled with DEX-COOL®.

ENGINE

GEAR MARKING COMPOUND

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 oz.	12	1052351

PRODUCT DESCRIPTION AND FUNCTION:
A bright, dark yellow colored grease that is used to mark ring gear teeth to determine contact points.

GM VEHICLE APPLICATION:
For use with all GM vehicles.

POWER STEERING FLUID

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	12	89021184
32 oz.	12	89020661

PRODUCT DESCRIPTION AND FUNCTION:
An amber-colored, light-bodied mineral oil that contains a specially developed additive package to provide good performance in power steering systems. It also helps in reducing power steering noise. Especially formulated to provide anti-corrosive and non-foaming qualities with excellent lubrication for year-round use.

- Reduces power steering noise
- Improved all-weather performance
- Anti-corrosive and non foaming

GM VEHICLE APPLICATION:
For use in GM vehicles with regular hydraulic power steering systems.

COLD CLIMATE POWER STEERING FLUID

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	12	12345866
32 oz.	12	12345867

PRODUCT DESCRIPTION AND FUNCTION:
A partially synthetic power steering fluid with exceptional low-temperature properties and increased oxidation stability. This product is specifically recommended for extreme cold climate conditions with temperatures below -20°F. Excellent low-temperature fluidity.

- Minimizes pump squeal
- Inhibits corrosion
- Non-foaming
- Improves power steering response in cold weather

GM VEHICLE APPLICATION:
Vehicles equipped with rack-and-pinion power steering systems used in cold climate. Required for Corvette.

ELECTROHYDRAULIC POWER STEERING FLUID

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
33.8 oz.	6	88901975

PRODUCT DESCRIPTION AND FUNCTION:
Synthetic oil for central hydraulic systems, level control, hydro pneumatic suspension, shock absorber, and power steering.

HYDRAULIC CLUTCH FLUID

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	12	12345347

PRODUCT DESCRIPTION AND FUNCTION:
General purpose fluid for hydraulic clutches. Improved lubrication for extended seal life.

- Resists air entrapment
- Minimizes seal squeal

GM VEHICLE APPLICATION:
This product applies to most standard transmission clutch reservoirs.

INSTALLATION/CLEANING PACKAGE FOR RAIN SENSOR MODULE

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	1	25645365

PRODUCT DESCRIPTION AND FUNCTION:
The rain sensor module automatically activates windshield wipers when rain contacts the windshield. See package insert for removing the rain sensor module from the windshield and reinstalling the replacement module. Package contains instruction sheet, tray, tape, shield, solvent, fabric and primer.

Goodwrench

H/TOP HYDRAULIC PUMP FLUID

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
500 ml.	1	89022748

PRODUCT DESCRIPTION AND FUNCTION:
Hydraulic fluid is for all SAAB convertibles, 2004 Chevrolet SSR and 2004 Cadillac XLR.

GM PROFESSIONAL HAND CARE SYSTEM

The most important tool for any technician is their hands. Our GM Pro 2000 System contains all the necessary elements to protect and clean your technician's most valued resource, their hands.

The First Step The GM Tech Care Pro 2000 Starter Kit.

The System includes one Pro 2000 Dispenser and four 2000 ml refill cartridges. You pay for the refills only, there is no expense for the dispenser. This system features:

1) A Lifetime Guarantee on the Pro 2000 Dispenser.
2) Quick and easy installation.
3) Sanitary sealed system and ADA compliant.
4) Dealers choice of three proven formulas.

IDEAL for outfitting multiple wash up areas, General Shop, Body Shop or Locker Room areas.

CHOOSE from
GM TECH CARE STARTER KITS

- 9M905423 contains one case of four 89021303 Gold Pro Hand Cleaner w/ Dispenser
- 9M905422 contains one case of four 89021302 Max Pro Hand Cleaner w/ Dispenser
- 9M905421 contains one case offour 89021301 Orange Pro Hand Cleaner w/ Dispenser

Dispensers mount quickly with adhesive included or with your preferred fasteners.

HAND CARE

TECH CARE PRO 2000 DISPENSER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	1	89021306

PRODUCT DESCRIPTION AND FUNCTION:
Tech Care Pro 2000 Dispenser is the common key component of the all new GM Professional skin care systems. Workhorse dispenser for Tech Care Gold (#89021303), Tech Care Max (#89021302) and Tech Care Orange (#89021301). The dispenser mounts in minutes, no tools required. Large display window makes it easy to see when it 's time to refill.

- Adjustable portion control dispensing saves up to 20% over other systems or portable products.
- One hand "push" operation is easy to use; dispenser mounting is reinforced with each use
- Dispenser complies with ADA guidelines
- Lifetime Guarantee

TECH CARE GOLD PRO HAND CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
67 oz.	4	89021303

PRODUCT DESCRIPTION AND FUNCTION:
Tech Care Gold Pro contains a natural, non-irritating scrubbing medium that loosens and removes the heaviest grease and grime – including oil, asphalt and tar – without harming your skin.

- Advanced Skin Cleaning ingredients
- No harsh chemicals or harsh abrasives
- Contains emollients and conditioner
- Waterless formula for use anywhere, anytime
- Rinses off quickly and completely
- Will not clog drains like other hand cleaners
- Uses Tech Care Pro 2000 Dispenser Part #89021306

TECH CARE MAX PRO HAND CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
67 oz.	4	89021302

PRODUCT DESCRIPTION AND FUNCTION:
Tech Care Max Pro is a unique blend of cleaners, skin conditioners and gentle scrubbers that remove tough sticky soils like tar, adhesives, epoxies and sealants while leaving skin conditioned. Tech Care Max is ideal for Body Shops and is silicone free.

- Non-drying formula. Favored in user preference studies over other heavy duty cleaners.
- Does not leave a residue or dry out the hands
- Multi-duty cleaner – effective for use throughout the dealership
- Scrubbing medium is natural, non-abrading walnut shells
- Uses Tech Care Pro 2000 Dispenser Part #89021306

TECH CARE ORANGE PRO HAND CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
67 oz.	4	89021301

PRODUCT DESCRIPTION AND FUNCTION:
Tech Care Orange Pro is formulated with a natural, non-petroleum solvent that works fast to provide deep and effective cleaning. Developed especially for removing soils encountered during automotive service and repair, including common grease, oil and grime.

- Refill cartridge for the GM Professional hand care system
- Natural citrus ingredient leaves hands with a pleasant citrus scent
- Includes aloe, vitamin E and skin conditioners
- Features Fine Italian Pumice to help loosen stubborn dirt
- Contains no petroleum-based solvents
- Concentrated formula
- Uses Tech Care Pro 2000 Dispenser Part #89021306

Goodwrench

BRAKE CLEANER

LOW VOC NON-CHLORINATED BRAKE PARTS CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
15 oz.	12	88862650

PRODUCT DESCRIPTION AND FUNCTION:
Product has been specially formulated to remove oil, grease, brake fluid, dirt and contaminates from brake components such as brake shoes, drums, springs, brake plates, calipers, pads and rotors. It is also an effective cleaner for clutch, transmission and engine parts.

This product does not contain chlorinated solvents.
Do not apply to brake linings, plastic or rubber parts (including seals). Protect such parts from overspray during cleaning.

BRAKE PARTS CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
14.39 oz.	12	12378556 ▲

PRODUCT DESCRIPTION AND FUNCTION:
GM Brake Parts Cleaner will quickly and effectively free brake parts form brake dust, grime and brake fluid build-up to enable the brakes to function properly without any mechanical hindrance. This non-chlorinated product cuts through brake dust and grime and dries fast without leaving any residue.

Can also be used to clean electrical components such as alternators and contacts.
- Low odor
- Quick drying
- Leaves no residue

▲ **Part currently not available to dealers in California and in OTC states. All orders will cancel.**

GENERAL

LOW VOC CARBURETOR AND CHOKE CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
14.7 oz.	12	12378393

PRODUCT DESCRIPTION AND FUNCTION:
A heavy-duty, non-chlorinated aerosol designed to remove dirt and fuel-related gum, varnish, and carbon deposits commonly found on carburetors and TBI units. Functions as an effective solvent for the removal of deposits to help restore proper functioning to carburetors and TBI units.

- Hexane-free
- Effective solvent for removing deposits

LOW VOC ENGINE DEGREASER CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16.25 oz.	12	12378482

PRODUCT DESCRIPTION AND FUNCTION:
An effective cleaner that quickly removes grease, oil, dirt, and grime from automotive engines and engine parts.

- Heavy-duty cleaner/degreaser
- Dissolves grease, dirt, oil, and road film
- Cleans all types of engines
- 50-state VOC compliant

RUST PENETRANT AND INHIBITOR

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
12 oz.	12	88862627

PRODUCT DESCRIPTION AND FUNCTION:
Product is an excellent rust penetrant that loosens metal fasteners, nuts and bolts, and any other place where metal-to-metal contact occurs. Penetrant is formulated to dissolve lead oxide deposit formation on manifold valve shaft, and lubricants to allow Heat Control Valve to operate freely.

RUST AND CORROSION INHIBITOR

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
14 oz.	2	89022217

PRODUCT DESCRIPTION AND FUNCTION:
Prevents rust and corrosion on all metals. Works as a paint primer over rust. Will not yellow, chalk, crack or peel. Meets or exceeds ASTM A-780 specifications. May be used on auto and truck bodies, construction machinery and equipment exhaust stacks, mufflers and manifolds, HVAC equipment, welded assemblies, and repairs.

MICRO BRUSH PACKAGE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
25 brushes	12	12378483

PRODUCT DESCRIPTION AND FUNCTION:
Use for automobile paint touch-up, automobile detailing, cleaning small recesses or orifices such as paint gun nozzles, and applying glue to lubricant. Easily bends to enable accurate placement of paint, lubricant, etc., in hard-to-reach locations.

- Get into hard-to-reach areas
- Bends easily to any angle

MEDIUM-BODY SEAM-SEALING COMPOUND

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
11 oz.	12	12378500

PRODUCT DESCRIPTION AND FUNCTION:
A high-performance sealer with excellent adhesion to most surfaces. Can be used for all sealing and adhesive applications with a standard caulking gun in both vertical and horizontal joints. Non-sagging and non-staining. Flexible and will not crack or shrink. Use on large seams and joints. Can be used on automotive paint.

- Paintable in 60 minutes
- Fast drying
- Water resistant

SPECIAL PRECAUTIONS:
Do not apply near catalytic converters and mufflers due to extreme heat.

RUBBERIZED AEROSOL UNDERCOATING

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
19.76 oz.	12	12378398 ▲

PRODUCT DESCRIPTION AND FUNCTION:
Provides a tough, abrasion-resistant film. Sprays easily, remains flexible after drying, and resists corrosion. Ideal for automotive undercarriages and door skins.

- Fast drying
- High coverage
- Medium to coarse texture
- Good sound deadener

▲ Part currently not available to dealers in California and in OTC states. All orders will cancel.

ANTI-CORROSION COATING

PICTURE NOT AVAILABLE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
11 oz.	1	12346501

PRODUCT DESCRIPTION AND FUNCTION:
Black anti-corrosion spray to repair damaged underbody surfaces to restore original anti-corrosion surface protection. Meets GM anti-corrosion material spec GM 9985260.

Goodwrench

POLISHING CLOTH

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
23" x 25"	24	994954

PRODUCT DESCRIPTION AND FUNCTION:
Used on the exterior and interior of all GM vehicles. A heavily napped, cotton flannel cloth that applies a fine protective shine to the vehicle's surface. Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Will not scratch the finest finish. Lasts for months under daily use. Environmentally friendly.

- Cleans and polishes at the same time!
- Fights static on surfaces
- Reusable

GM VEHICLE APPLICATION:
Use with all GM vehicles.

POLISHING CLOTH – BULK ROLL

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
23" X 58.5'	1	998885

PRODUCT DESCRIPTION AND FUNCTION:
Used on the exterior and interior of all GM vehicles. A heavily napped, cotton flannel cloth that applies a fine protective shine to the vehicle's surface. Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Will not scratch the finest finish. Lasts for months under daily use. Environmentally friendly.

- Cleans and polishes at the same time!
- Fights static on surfaces
- Reusable
- Cut to length

GM VEHICLE APPLICATION:
Use with all GM vehicles.

POLISHING CLOTH – GIFT BOX

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	100	12343985

PRODUCT DESCRIPTION AND FUNCTION:
Used on the exterior and interior of all GM vehicles. A heavily napped, cotton flannel cloth that applies a fine protective shine to the vehicle's surface. Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Will not scratch the finest finish. Lasts for months under daily use. Environmentally friendly.

- Cleans and polishes at the same time!
- Fights static on surfaces
- Reusable

GM VEHICLE APPLICATION:
Use on all GM vehicles.

HOLIDAY POLISHING CLOTH

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	100	12343986

PRODUCT DESCRIPTION AND FUNCTION:
Used on the exterior and interior of all GM vehicles. A heavily napped, cotton flannel cloth that applies a fine protective shine to the vehicle's surface. Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Will not scratch the finest finish. Lasts for months under daily use. Environmentally friendly.

- Cleans and polishes at the same time!
- Fights static on surfaces
- Reusable

GM VEHICLE APPLICATION:
Use on all GM vehicles.

CHROME CLEANER AND POLISH

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	1	1050173

PRODUCT DESCRIPTION AND FUNCTION:
A complex blend of oil, water, silicone, emulsifiers, pumice and polishing agents. It is excellent for restoring original appearance to tarnished, rusted, stained or dulled surfaces; leaving a bright silicone shine behind. Apply with a clean, soft cloth. Allow to dry and rub off.

- Contains pumice
- Leaves a silicone shine

GM VEHICLE APPLICATION:
Use on all GM vehicles.

WHITE SIDEWALL CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 gal.	6	1050175

PRODUCT DESCRIPTION AND FUNCTION:
Water-based alkaline cleaner designed specifically for cleaning whitewall and black sidewall tires. Effectively removes all types of soils and whitens dingy tire surfaces. A great cleaner for prepping tires for today's high-tech tire dressings. Specifically formulated to restore whitewalls and raised white lettering to their original brightness. Safe for use on rubber surfaces.

- No pre-cleaning required
- Removes grease, grime, and dirt

SPECIAL PRECAUTIONS:
Keep this product off glass surfaces; will cause etching if left on for long periods. Avoid contact with eyes and skin.

GM VEHICLE APPLICATION:
Use with all GM vehicles.

GLASS CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
6 oz.	12	9M905449
18 oz.	12	89021822

PRODUCT DESCRIPTION AND FUNCTION:
A pleasantly scented, non-streaking, foamy cleaner that, when used on glass surfaces, quickly removes dirt and grime, cigarette smoke, and finger prints.

This product is water-based, alcohol butyl cellosolve, and a blend of surfactants that complies with all Volatile Organic Compound (VOC) requirements.

A great product for all vehicle preparation, as well as home use.

- Foamy, non-streaking cleaner
- Removes cigarette smoke, dirt, and grime

GM VEHICLE APPLICATION:
Use with all GM vehicles.

OPTIKLEEN

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
32 oz.	12	1051515

PRODUCT DESCRIPTION AND FUNCTION:
A unique, highly concentrated formulation designed for washer systems. Cleans down to the glass without smearing or streaking.

- Removes stubborn soil, tree sap, and road grime
- Safe for metal, glass, and painted surfaces
- Protected against freezing down to -40°F

GM VEHICLE APPLICATION: Use on all GM vehicles.

SPECIAL PRECAUTIONS:
Consult your local and state requirements regarding mixing concentrations.

In compliance with the Oregon Toxic Household Act, Antifreeze Products can only be purchased for use in professional vehicle repair facilities and cannot be displayed for sale or sold to consumers. By ordering this product, you agree not to sell it to customers in Oregon.

WHEEL CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	6	1052929

PRODUCT DESCRIPTION AND FUNCTION:
This product is specifically engineered and designed for use in removing dirt, grime, and road film from chrome wheels and wire wheel covers. It is an aggressive cleaner that dissolves corrosion.

- Aggressive cleaner
- Dissolves corrosion

GM VEHICLE APPLICATION:
For use with all GM vehicles.

FINISH ENHANCER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	6	12377964

PRODUCT DESCRIPTION AND FUNCTION:
This product provides an effective way to maintain the vehicle's finish and keep the surface clean between vehicle washes. This unique formula is applied to the vehicle's finish by misting lightly on its surface. The surface dirt is gently removed from the car using a cotton towel. Great for wiping off fingerprints from vehicles.

- Removes fingerprints and light dust
- Maintains your vehicle's finish

GM VEHICLE APPLICATION:
Use with all GM vehicles.

Goodwrench

SWIRL REMOVER POLISH

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	6	12377965

PRODUCT DESCRIPTION AND FUNCTION:
Prepares paint for waxing by removing swirl marks, fine scratches and other light surface contamination. Contains a gentle yet effective cleaner, plus a high-quality polish. Clear coat safe.

- Easy to apply and wipe off
- Produces a high-quality polish

GM VEHICLE APPLICATION:
Use with all GM vehicles.

CLEANER WAX

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	6	12377966

PRODUCT DESCRIPTION AND FUNCTION:
Easily removes light surface scratches and contaminants, and helps maintain the showroom finish of all GM vehicles. Cleaner Wax contains a safe and mild cleaner, is easy to apply and leaves a combination of waxes, silicones, polymers, and resins that will protect and maintain the finish with maximum vibrance and deep gloss.

- Deep long-lasting shine
- Removes light surface scratches
- Easy to apply

GM VEHICLE APPLICATION:
Use with all GM vehicles.

WASH WAX CONCENTRATE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
16 oz.	12	12378401
5 gal.	1	12378402

PRODUCT DESCRIPTION AND FUNCTION:
A luxurious, medium foaming shampoo for all paint finishes. Provides high beading wax protection. It is pleasantly scented, biodegradable, and phosphate-free.

- A luxurious, medium foaming shampoo for all paint finishes
- Provides high beading wax protection
- Biodegradable and phosphate-free
- Reduces drying time
- Pleasantly scented

GM VEHICLE APPLICATION:
All vehicles.

Ruby UPHOLSTERY EXTRACTOR

GM Approved

The new 17-pound "Ruby" upholstery extractor delivers incredible efficiency and power in a deceptively small package. No set-up time – simply unload and begin cleaning immediately. Compact size and maneuverability make it ideal for spotting and quick cleaning of small carpeted areas, upholstery and auto interiors. Operators will appreciate the specially designed molded-in holders that carry spray bottles, leaving the hands free. Over time it's a winner too, thanks to the upright-mounted vacuum motor and oversized recovery tank that combine to insure longer motor life. Ruby comes complete with a hose assembly and upholstery tool so it's ready to go when you are.

FEATURES

- Unique molded-in holders carry spray bottles for greater ease
- Large six-inch wheels and an optional transport handle plus cord wrap assembly make it a snap to wheel about
- Carry-along handle increases portability
- Small and light enough to carry with one hand
- Quickly opens up for easy servicing and repair
- Large porthole on solution tank allows easy access for odor-free maintenance of recovery tank

OPTIONAL ACCESSORIES

- Single-jet wand, 10" wide

For best results, use the Cloth/Carpet Cleaner Concentrate, part number 88861420.

FOR MORE INFORMATION OR TO ORDER THIS PRODUCT, CALL GM Tools and Equipment (1-800-GMTOOLS).

SPECIFICATIONS

Solution Tank	2 gallon
Recovery Tank	3.5 gallon
Solution Pressure	55 PSI
Vacuum Motor	2 stage, bypass
Water Lift	85" (optional 106" with high performance motor)
Handle	Adjustable, 18-33"
Wheels	6 inches
Power Cord	25 ft.
Hose Assembly	8 ft.
Economy Tool	Plastic
Deluxe Tool	Clear-view vacuum wand with internal spray
Weight	17 lbs.
Shipping Weight	25 lbs. (with tool)
Dimensions	20.5"h x 15"l x 13"w
Ship Dimensions	23.5"h x 18.25"l x 15.25"w
Electrical Draw	8.5/8.5/8.5/8.5/12 amps

Goodwrench

UPHOLSTERY CLEANING AND CARPET STAIN REMOVAL HAS NEVER BEEN EASIER...

General Motors Vehicle Care Upholstery/Carpet and **Leather Cleaner/Conditioner Products** are safe, simple, and effective. Unlike other products on the market, these cleaners do not contain bleach, solvents or harsh chemicals.

Upholstery/Carpet Stain Remover Red Formula

Ink, Iodine and Grease Stain Remover. This professional strength, ready-to-use cleaner is engineered to remove the toughest stains like ink, iodine, grease, markers and red stains. Great for stains that previously required solvent cleaners!

Packaged in (6) 24 oz. bottles.
Item #88861404

Also available in an 8 oz. bottle.
Item #88861408

Stains like vegetable oil, mayonnaise, and salad dressing should be pre-treated with a small amount of rubbing alcohol.

Upholstery/Carpet Stain Remover Gold Formula

Food, Beverage and Protein Stain Remover. This professional strength, ready-to-use cleaner is built to remove tough stains like blood, grass, food and beverage stains, and even urine.

Packaged in (6) 24 oz. bottles.
Item #88861403

Also available in an 8 oz. bottle.
Item #88861407

Stains like vegetable oil, mayonnaise, and salad dressing should be pre-treated with a small amount of rubbing alcohol.

Soft Bristle Interior Cleaner Brush

This compact upholstery brush was developed specifically for use on soft textiles to work on all upholstery without damaging fabric. Soft, black, bassine fibers in a rigid polyethylene block provide the proper agitation. Use this brush to safely clean all soft textiles.

Item #88861425

Which product for which stain?
This cleaning chart will help you determine which cleaner will work best on a particular stain. Listed below are many common stains for your reference. Some complex oil stains require the application of both stain removers, one after the other, to remove both food-based oils and synthetic oils.

Red Formula	Gold Formula	Type of Stain
	•	Blood
•	•	Butter/margarine
	•	Catsup
	•	Chocolate
	•	Coffee
	•	Cola
•		Cosmetics
•		Crayon
	•	Grass
•		Grease (motor)
•		Gum
•		Ink
•		Iodine
	•	Jelly
	•	Juices
•		Lipstick
•	•	Mayonnaise
	•	Mildew
	•	Milk
•	•	Mustard
•		Nail Polish
•		Oil
	•	Paint (latex)
•		Red drinks
•		Rust
•		Shoe Polish
•		Sun Block
•		Tar
	•	Tea
	•	Urine
•	•	Vegetable Oil
	•	Vomit

See Service Bulletin #06-00-89-029B
Contact your FODM or GM Vehicle Care representative to find out about these new products.

...NOR HAS LEATHER CLEANING AND CONDITIONING BEEN EASIER!

Leather, Vinyl and Plastic Cleaner

Leather, Vinyl and Plastic Cleaner specially formulated for leather, vinyl and plastic. It is safe to use on both low gloss and high gloss finishes. With its natural citrus degreaser formulation, ink, tar, grease deposits, crayons, and markers can be removed from leathers, vinyls and plastics.

Packaged in (6) 24 oz. bottles.
Item #88861401

Also available in an 8 oz. bottle.
Item #88861405

Leather and Vinyl Conditioner

Leather and Vinyl Conditioner is specially formulated to replenish oils after cleaning with cleaners 88861401/88861405. Safe to use on both low gloss and high gloss leather or vinyl.

Packaged in (6) 24 oz. bottles.
Item #88861402

Also available in an 8 oz. bottle.
Item #88861406

Odor Eliminator

Odor Eliminator is specially designed to remove odors at the source inside vehicles and HVAC systems. Suggested uses include: upholstery, headliners, carpets, floor mats, storage areas and many more. Great for eliminating musky odors from wet vehicle interiors.

Packaged in (6) 24 oz. bottles.
Item #88861431

Also available in an 8 oz. bottle.
Item #88861432

Cloth/Carpet Cleaner Concentrate

Our Concentrated Extraction Cleaner is engineered with lower pH levels to help remove alkaline buildup on fabrics. This effective formulation of concentrate is mixed at a dilution ratio of 32:1 (4 ounces per gallon). Packaged in (4) 1 gallon containers per case, this concentrate makes 132 gallons of ready-to-use cleaner.

Item #88861420

The Cloth/Carpet Cleaner Concentrate can be used with the Ruby Extractor Machine (part number 627-CC-3000AU). The Ruby Extractor is used for cleaning any vehicle interior fabrics, as well as those difficult-to-clean areas. The narrow design of the vacuum head allows detail work in tight areas. The water pressure pump is reduced so the fabric surface does not get wet more than is necessary. The dry time is greatly reduced due to less water on the fabric surface, the vacuum head making better contact with the surface, and the significant water lift capability of the machine.

The Ruby Extractor is available through GM Tools and Equipment (1-800-GMTOOLS).

See Service Bulletin #06-00-89-029B

Goodwrench

LEATHER, VINYL AND PLASTIC CLEANER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
8 oz.	12	88861405
24 oz.	6	88861401

PRODUCT DESCRIPTION AND FUNCTION:
Leather, Vinyl and Plastic Cleaner specially formulated for leather, vinyl and plastic. It is safe to use on low gloss finishes or high gloss finishes. It is formulated with natural citrus degreasers. Ink, tar, grease deposits, crayons and markers can be removed from leathers, vinyls and plastics.

LEATHER AND VINYL CONDITIONER

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
8 oz.	12	88861406
24 oz.	6	88861402

PRODUCT DESCRIPTION AND FUNCTION:
Leather and Vinyl Conditioner is specially formulated to replenish oils after cleaning with cleaners 88861401/88861405. It is safe to use on low gloss leather or vinyl.

UPHOLSTERY/CARPET STAIN REMOVER (GOLD FORMULA)

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
8 oz.	12	88861407
24 oz.	6	88861403

PRODUCT DESCRIPTION AND FUNCTION:
Upholstery/Carpet Stain Remover is a professional strength cleaner used to remove stains from upholstery fabrics and carpeting caused by the following substances: food, beverages, protein, chocolate, tea, grass, wine, mildew, mustard, ketchup, latex paint, vomit, vegetable oil, mayonnaise, salad dressing, blood, urine.

UPHOLSTERY/CARPET STAIN REMOVER (RED FORMULA)

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
8 oz.	12	88861408
24 oz.	6	88861404

PRODUCT DESCRIPTION AND FUNCTION:
Upholstery/Carpet Stain Remover is a professional strength cleaner used to remove stains from upholstery fabrics and carpeting caused by the following substances: grease, ink, butter, iodine, mustard, mayonnaise, oil, cosmetics, lipstick, tar, gum, crayon, shoe polish, urine, markers, red stains.

CLOTH/CARPET CLEANER CONCENTRATE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
1 gal.	4	88861420

PRODUCT DESCRIPTION AND FUNCTION:
Our Concentrated Extraction Cleaner is engineered with lower pH levels to help remove alkaline buildup on fabrics. This effective formulation of concentrate is mixed at a dilution ratio of 32:1 (4 ounces per gallon). Packaged in (4) 1 gallon containers per case, this concentrate makes 132 gallons of ready-to-use cleaner.

ODOR ELIMINATOR

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
24 oz.	6	88861431
8 oz.	12	88861432

PRODUCT DESCRIPTION AND FUNCTION:
Odor Eliminator is specially designed to remove odors at the source inside vehicles and HVAC systems. Suggested uses include: upholstery, headliners, carpets, floor mats, storage areas and many more. Great for eliminating musky odors from wet vehicle interiors.

SOFT BRISTLE INTERIOR CLEANER BRUSH

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	1	88861425

PRODUCT DESCRIPTION AND FUNCTION:
This compact upholstery brush was developed specifically for use on soft textiles to work on all upholstery without damaging fabric. Soft, black, bassine fibers in a rigid polyethylene block provide the proper agitation. Use this brush to safely clean all soft textiles.

GM GOODWRENCH MOTOR OIL

FEATURES OF GM MOTOR OIL

GM Motor Oil is sold exclusively to GM dealers and meets the latest API specifications. GM Motor Oils are formulated from quality base stocks combined with the most modern detergent-dispersant, anti-oxidant, antiwear agent and defoamant. Rust inhibitors in these oils protect against engine rust and corrosion under severe low-temperature operating conditions. Pour depressants and a viscosity index improver are included where required to provide the desired viscosity-temperature and low-temperature fluidity characteristics.

Some of the advantages of using GM Motor Oils are:

- GM Motor Oil is a proprietary formulation specifically approved by GM Engineering.
- Provides excellent engine protection under a wide variety of operating conditions.
- Satisfies all of the latest oil requirements of gasoline engine manufacturers.
- Greater fuel efficiency.
- Provides excellent protection for high-performance engines.
- Reduces engine wear and corrosion.
- GM SAE 10W-30 has proven performance in turbo engines.
- GM SAE 5W-30 meets ILSAC GF-4 and GM Material Specifications No. GM6094M.

Conventional GM Goodwrench Motor Oil

- A premium-quality motor oil that reduces engine wear and corrosion.
- Contains special additives that help your engine run clean and smooth.
- Helps your engine run free of harmful deposits.
- Exceeds API and ILSAC industry performance requirements.

Mobil Clean 7500 Synthetic Blend

- Guaranteed performance and protection for up to 7,500 miles.
- New synthetic blend engine oil designed to exceed engine warranty requirements.
- Contains extra cleaning agents to help prevent the formation of sludge and other harmful deposits.
- ILSAC GF-4 and API SM certified.
- Does not require a special oil filter.
- Suitable for cars, vans and light trucks

Mobil 1 with SuperSyn

- The number one synthetic motor oil in the world.
- Provides exceptional protection, under normal or extreme use.
- Gives your engine enhanced wear protection, engine cleanliness and all-temperature durability.
- Exceeds the toughest automaker and industry standards.
- Original equipment in some of the world's finest vehicles.

GM GOODWRENCH PACKAGED MOTOR OILS

Oil Viscosity	Product Formula	Package Size	Part Number	Order is 110 gallons or more; mix or match of packaged oil	Order is less than 110 gallons; mix or match packaged oil
QUARTS - 1 case = 12 quarts = 3 gallons (Mobil 1 - 1 case = 6 quarts = 1.5 gallons)					
5W30	Goodwrench Conventional	Quarts	12345610	17%	2.75%
5W30	Mobil Clean 7500 Syn. Blend	Quarts	88862506	6%	2.75%
5W30	Mobil 1 Synthetic	Quarts	12345885	6%	2.75%
0W40	Mobil 1 Synthetic	Quarts	88862479	0%	0%
10W30	Goodwrench Conventional	Quarts	12345616	17%	2.75%
10W30	Mobil 1 Synthetic	Quarts	12346184	6%	2.75%
5W20	Mobil 1 Synthetic	Quarts	88862163	6%	2.75%
0W30	Mobil 1 Synthetic	Quarts	12347283	6%	2.75%
15W50	Mobil 1 EP	Quarts	12347284	6%	2.75%
15W40	Mobil Delvac 1300 CJ4	Quarts	88862497	6%	2.75%
DRUMS - 1 drum = 55 gallons					
5W30	Goodwrench Conventional	55 Gallon	12345612	17%	2.75%
5W30	Mobil Clean 7500 Syn. Blend	55 Gallon	88862507	6%	2.75%
5W30	Mobil 1 Synthetic	55 Gallon	89021614	6%	2.75%
0W40	Mobil 1 Synthetic	55 Gallon	88862480	0%	0%
10W30	Goodwrench Conventional	55 Gallon	12345618	17%	2.75%
10W30	Mobil 1 Synthetic	55 Gallon	89021615	6%	2.75%
15W40	Mobil Delvac 1300 CJ4	55 Gallon	88862611	6%	2.75%
DRUMS - 1 drum = 55 gallons					
15W40	Mobil Delvac 1300 CJ4	1 Gallon	88862469	6%	2.75%
5W40	Delvac 1 ESP	1 Gallon	12378522	6%	2.75%

VOLUME DISCOUNT

ORDER IN ANY COMBINATION TO MEET 110 GALLON MINIMUM REQUIREMENT FOR ADDITIONAL DISCOUNT. MIX OR MATCH (INCLUDING MOBIL 1 SYNTHETIC MOTOR OILS)

- 37 cases of quart bottles = 111 gallons (12 quarts to a case)
- 28 cases of gallons = 112 gallons (4 gallons to a case)
- 2 drums = 110 gallons (55 gallons to a drum)

Dealer retains drums on straight drum purchases.

Note: This discount structure applies solely to packaged goods (quarts, gallons and drums) and cannot be combined with GM Goodwrench bulk oil deliveries.

Product specifications and descriptions were correct at the time this magazine was printed. GM reserves the right to improve, discontinue, or change any part of the copy, photography, and parts without notice.

PURCHASES EARN:

- 5% Return Reserve on all oil purchases
- 3% Advertising Allowance on all oil purchases
- 3.25% Customer Focus Incentive (dealer must qualify to receive)

To locate the GM Goodwrench Motor Oil distributor nearest you, call 1-800-726-6377.

GM GOODWRENCH MOTOR OIL DETAILS

GM Goodwrench Motor Oil is available in BULK from your local GM Goodwrench motor oil distributor.

To order through your local distributor:

1) Call the local distributor* established for your dealership, or contact your GM Area Parts Manager.
2) Give the order directly to the distributor.
3) Do not order via Rapid.

GM GOODWRENCH MOTOR OIL DETAILS

- **Equipment Funding Programs (five year programs)**
  - Plan A = $1.00 X Annual Projected Volume = Total Amount Eligible. $.20 per gallon payback
  - Plan B = $2.00 X Annual Projected Volume = Total Amount Eligible. $.40 per gallon payback
  - Plan C = $3.00 X Annual Projected Volume = Total Amount Eligible. $.60 per gallon payback
- **Volume Rebate Program:**

Number of Gallons	Rebate Per Gallon
0 - 49,999	$0.00 Rebate
50,000 - 74,999	$0.10 Rebate
75,000 - 99,999	$0.15 Rebate
100,000 - 124,999	$0.25 Rebate
125,000 - 149,999	$0.45 Rebate
150,000 - 199,999	$0.50 Rebate
200,000 or more	$0.55 Rebate

  - All individual dealers and recognized dealer buying groups are eligible for the rebate.
- **Pricing options that allow all GM Goodwrench Motor Oil customers the flexibility to choose the price scenario that best suits their individual dealership's needs.**
  - Option 1 Pricing: Includes standard GM Goodwrench Motor Oil program discounts and allowances.
  - Option 2 Pricing: Includes the most competitive price without any program discounts or allowances.
- **Receive a GM Goodwrench oil static cling and floor mat for every gallon purchased.**
- **Inventory management, order processing and delivery options performed by local distributors.**

PURCHASES EARN:

- 10% Bulk Discount
- 5% Return Reserve on all oil purchases
- 3% Advertising Assistance on all oil purchases
- 3.25% Customer Focus Incentive (dealer must qualify to receive)

To locate the GM Goodwrench Motor Oil distributor nearest you, call 1-800-726-6377.

GM GOODWRENCH BULK MOTOR OILS and ATF

Oil Viscosity	Product Formula	Package Size	Price Options	Equipment Funding	Part Number
5W30	Goodwrench Conventional	Bulk	Option 1		12345615
5W30	Goodwrench Conventional	Bulk	Option 2		89021593
5W30	Goodwrench Conventional	Bulk	Option 1	Plan A	88901741
5W30	Goodwrench Conventional	Bulk	Option 2	Plan A	89021594
5W30	Goodwrench Conventional	Bulk	Option 1	Plan B	88901742
5W30	Goodwrench Conventional	Bulk	Option 2	Plan B	89021595
5W30	Goodwrench Conventional	Bulk	Option 1	Plan C	89021632
5W30	Goodwrench Conventional	Bulk	Option 2	Plan C	89021616
5W30	Mobil Clean 7500 Syn. Blend	Bulk	Option 1		88862508
5W30	Mobil Clean 7500 Syn. Blend	Bulk	Option 2		88862509
5W30	Mobil Clean 7500 Syn. Blend	Bulk	Option 1	Plan A	88862510
5W30	Mobil Clean 7500 Syn. Blend	Bulk	Option 2	Plan A	88862511
5W30	Mobil Clean 7500 Syn. Blend	Bulk	Option 1	Plan B	88862512
5W30	Mobil Clean 7500 Syn. Blend	Bulk	Option 2	Plan B	88862513
5W30	Mobil Clean 7500 Syn. Blend	Bulk	Option 1	Plan C	88862514
5W30	Mobil Clean 7500 Syn. Blend	Bulk	Option 2	Plan C	88862515
5W30	Mobil 1 Synthetic	Bulk	Option 1		89021636
5W30	Mobil 1 Synthetic	Bulk	Option 2		89021624
5W30	Mobil 1 Synthetic	Bulk	Option 1	Plan A	89021637
5W30	Mobil 1 Synthetic	Bulk	Option 2	Plan A	89021625
5W30	Mobil 1 Synthetic	Bulk	Option 1	Plan B	89021638
5W30	Mobil 1 Synthetic	Bulk	Option 2	Plan B	89021626
5W30	Mobil 1 Synthetic	Bulk	Option 1	Plan C	89021639
5W30	Mobil 1 Synthetic	Bulk	Option 2	Plan C	89021627
0W40	Mobil 1 Synthetic	Bulk	Option 1		88862498
0W40	Mobil 1 Synthetic	Bulk	Option 2		88862481
0W40	Mobil 1 Synthetic	Bulk	Option 1	Plan A	88862499
0W40	Mobil 1 Synthetic	Bulk	Option 2	Plan A	88862482
0W40	Mobil 1 Synthetic	Bulk	Option 1	Plan B	88862500
0W40	Mobil 1 Synthetic	Bulk	Option 2	Plan B	88862483
0W40	Mobil 1 Synthetic	Bulk	Option 1	Plan C	88862501
0W40	Mobil 1 Synthetic	Bulk	Option 2	Plan C	88862484
10W30	Goodwrench Conventional	Bulk	Option 1		12345621
10W30	Goodwrench Conventional	Bulk	Option 2		89021596
10W30	Goodwrench Conventional	Bulk	Option 1	Plan A	88901743
10W30	Goodwrench Conventional	Bulk	Option 2	Plan A	89021597
10W30	Goodwrench Conventional	Bulk	Option 1	Plan B	88901744
10W30	Goodwrench Conventional	Bulk	Option 2	Plan B	89021598
10W30	Goodwrench Conventional	Bulk	Option 1	Plan C	89021633
10W30	Goodwrench Conventional	Bulk	Option 2	Plan C	89021619
5W20	Goodwrench Conventional	Bulk	Option 1		89021512
5W20	Goodwrench Conventional	Bulk	Option 2		89021602

GM GOODWRENCH BULK MOTOR OILS and ATF CONTINUED

Oil Viscosity	Product Formula	Package Size	Price Options	Equipment Funding	Part Number
5W20	Goodwrench Conventional	Bulk	Option 1	Plan A	89021522
5W20	Goodwrench Conventional	Bulk	Option 2	Plan A	89021603
5W20	Goodwrench Conventional	Bulk	Option 1	Plan B	89021523
5W20	Goodwrench Conventional	Bulk	Option 2	Plan B	89021604
5W20	Goodwrench Conventional	Bulk	Option 1	Plan C	89021644
5W20	Goodwrench Conventional	Bulk	Option 2	Plan C	89021623
15W40	Mobil Delvac 1300 CJ4	Bulk	Option 1		88862612
15W40	Mobil Delvac 1300 CJ4	Bulk	Option 2		88862613
15W40	Mobil Delvac 1300 CJ4	Bulk	Option 1	Plan A	88862614
15W40	Mobil Delvac 1300 CJ4	Bulk	Option 2	Plan A	88862615
15W40	Mobil Delvac 1300 CJ4	Bulk	Option 1	Plan B	88862616
15W40	Mobil Delvac 1300 CJ4	Bulk	Option 2	Plan B	88862617
15W40	Mobil Delvac 1300 CJ4	Bulk	Option 1	Plan C	88862618
15W40	Mobil Delvac 1300 CJ4	Bulk	Option 2	Plan C	88862619
ATF	GM Vehicle Care DEXRON - VI	Bulk	Option 1		88862155
ATF	GM Vehicle Care DEXRON - VI	Bulk	Option 2		88862156
ATF	GM Vehicle Care DEXRON - VI	Bulk	Option 1	Plan A	88862157
ATF	GM Vehicle Care DEXRON - VI	Bulk	Option 2	Plan A	88862164
ATF	GM Vehicle Care DEXRON - VI	Bulk	Option 1	Plan B	88862165
ATF	GM Vehicle Care DEXRON - VI	Bulk	Option 2	Plan B	88862166
ATF	GM Vehicle Care DEXRON - VI	Bulk	Option 1	Plan C	88862167
ATF	GM Vehicle Care DEXRON - VI	Bulk	Option 2	Plan C	88862168

VEHICLE CARE KITS

CHOOSE FROM ANY OF THESE EXCITING LOGO OPTIONS:

CORVETTE
PART NUMBER 12378112

PART NUMBER 12378134

PART NUMBER 12378136

PART NUMBER 12498558

PART NUMBER 89021519

PART NUMBER 12378132

GM reserves the right to discontinue/change any product in the Vehicle Care kits on pages 50-52 for a product of similar price without notice.

CORVETTE VEHICLE CARE KIT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	1	12378112

KIT INCLUDES:
Cleaner Wax - 16 oz. Removes light surface scratches and contaminants. Helps maintain showroom finish. Leaves a combination of waxes, silicones, polymers, and resins to protect and maintain the finish.
Glass Cleaner - 18 oz. Pleasantly scented, non-streaking, quickly removes dirt, grime, cigarette smoke, and fingerprints.
Finish Enhancer - 16 oz. Keeps surface clean between car washes. Mist on, wipe off using a cotton towel.
Polishing Cloth - Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Will not scratch the finest finish.
Consumer brochure containing information on other products in the GM Vehicle Care line.

GMC VEHICLE CARE KIT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	1	12378134

KIT INCLUDES:
Cleaner Wax - 16 oz. Removes light surface scratches and contaminants. Helps maintain showroom finish. Leaves a combination of waxes, silicones, polymers, and resins to protect and maintain the finish.
Glass Cleaner - 18 oz. Pleasantly scented, non-streaking, quickly removes dirt, grime, cigarette smoke, and fingerprints.
Finish Enhancer - 16 oz. Keeps surface clean between car washes. Mist on, wipe off using a cotton towel.
Polishing Cloth - Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Will not scratch the finest finish.
Consumer brochure containing information on other products in the GM Vehicle Care line.

CHEVROLET VEHICLE CARE KIT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	1	12378136

KIT INCLUDES:
Cleaner Wax - 16 oz. Removes light surface scratches and contaminants. Helps maintain showroom finish. Leaves a combination of waxes, silicones, polymers, and resins to protect and maintain the finish.
Glass Cleaner - 18 oz. Pleasantly scented, non-streaking, quickly removes dirt, grime, cigarette smoke, and fingerprints.
Finish Enhancer - 16 oz. Keeps surface clean between car washes. Mist on, wipe off using a cotton towel.
Polishing Cloth - Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Will not scratch the finest finish.
Consumer brochure containing information on other products in the GM Vehicle Care line.

HUMMER VEHICLE CARE KIT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	1	12498558

KIT INCLUDES:
Cleaner Wax - 16 oz. Removes light surface scratches and contaminants. Helps maintain showroom finish. Leaves a combination of waxes, silicones, polymers, and resins to protect and maintain the finish.
Glass Cleaner - 18 oz. Pleasantly scented, non-streaking, quickly removes dirt, grime, cigarette smoke, and fingerprints.
Finish Enhancer - 16 oz. Keeps surface clean between car washes. Mist on, wipe off using a cotton towel.
Polishing Cloth - Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Will not scratch the finest finish.
Consumer brochure containing information on other products in the GM Vehicle Care line.

SSR VEHICLE CARE KIT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	1	89021519

KIT INCLUDES:
Cleaner Wax - 16 oz. Removes light surface scratches and contaminants. Helps maintain showroom finish. Leaves a combination of waxes, silicones, polymers, and resins to protect and maintain the finish.
Glass Cleaner - 18 oz. Pleasantly scented, non-streaking, quickly removes dirt, grime, cigarette smoke, and fingerprints.
Finish Enhancer - 16 oz. Keeps surface clean between car washes. Mist on, wipe off using a cotton towel.
Polishing Cloth - Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Will not scratch the finest finish.
Consumer brochure containing information on other products in the GM Vehicle Care line.

Goodwrench

GM VEHICLE CARE KIT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	12	12378454

SMALL KIT INCLUDES:

(2) 6 oz. cans Glass Cleaner	12346403	Finish Enhancer – 4 oz.	12377964
Wash Wax – 4 oz.	12378401	Polishing Cloth – 23"x 25"	994954
		Consumer Brochure	

PERFORMANCE PARTS VEHICLE CARE KIT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	1	12378132

KIT INCLUDES:

Cleaner Wax - 16 oz. Removes light surface scratches and contaminants. Helps maintain showroom finish. Leaves a combination of waxes, silicones, polymers, and resins to protect and maintain the finish.

Glass Cleaner - 18 oz. Pleasantly scented, non-streaking, quickly removes dirt, grime, cigarette smoke, and fingerprints.

Finish Enhancer - 16 oz. Keeps surface clean between car washes. Mist on, wipe off using a cotton towel.

Polishing Cloth - Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Will not scratch the finest finish.

Consumer brochure containing information on other products in the GM Vehicle Care line.

PERFORMANCE PARTS KIT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	12	12378457

SMALL KIT INCLUDES:

(2) 6 oz. cans Glass Cleaner	12346403	Finish Enhancer – 4 oz.	12377964
Wash Wax – 4 oz.	12378401	Polishing Cloth – 23"x25"	994954
		Consumer Brochure	

GM VEHICLE CARE DETAILING KIT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	1	12378534

KIT INCLUDES:

Wash Bucket, Wash Bucket Skirt with the GM Vehicle Care Logo, 2 Terry Cloth Towels, 1 Synthetic Chamois, 1 Wash Mitt with Elastic Cuff, 2 Applicator Pads, 1 Can of GM Vehicle Care Glass Cleaner, 1 Bottle of GM Vehicle Care Finish Enhancer, GM Vehicle Care Foaming Tire Shine, 1 Bottle of GM Vehicle Care Cleaner Wax, 1 GM Vehicle Care Polishing Cloth, and Consumer Brochure.
See detailing kit flyer for more details.

RECONDITIONING PAINT – AEROSOL (TRUNK)

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
14 oz. Gray, White	6	1051498
14 oz. Black, Aqua	6	1051499

PRODUCT DESCRIPTION AND FUNCTION:
- Quick-drying
- Non-drip
- Tack-free within 5 minutes
- Non-chlorofluorcarbon chemicals
- Moisture protection
- Non-blushing, bubbling, and lifting

GM VEHICLE APPLICATION:
For use with all GM vehicles.

PAINT CHIP REPAIR KIT

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
	12	12378179

PRODUCT DESCRIPTION AND FUNCTION:
Provides everything necessary to make a permanent repair to any vehicle. Contains tools to make a smooth, flush, professional looking repair. Everything included in one package.

KIT CONTAINS:
- Prep pen and spot sanding pen with two cartridges
- Clear coat paint
- Ultra-fine polish
- Paint applicators
- Micro-fine polishing sandpapers
- Special flexible sanding block
- Stops rust instantly
- Makes professional flush repairs
- Eliminates abrasions and scratches

GM VEHICLE APPLICATION:
For all GM vehicles.

LOW GLOSS SPRAY PAINT BLACK

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
11 oz.	6	89021939

PRODUCT DESCRIPTION AND FUNCTION:
Tack-free in 5 minutes and a hard film in 10 minutes. Dry to touch in 30 minutes. No CFC chemicals. Moisture protection. No blushing, bubbling, or lifting. Oil and gas resistant. Resists temperatures to 260 C (500 F). Not intended for high heat exhaust components, headers, mufflers, or tailpipes. Provides a quality acrylic enamel that ensures superior coverage. Won't blister, flake, crack or peel. Fast drying. Non-drip.

GM VEHICLE APPLICATION:
For engines, transmissions, motors, and other equipment.

HIGH GLOSS SPRAY PAINT BLACK

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
11 oz.	6	89021940

PRODUCT DESCRIPTION AND FUNCTION:
Tack-free in 5 minutes and a hard film in 10 minutes. Dry to touch in 30 minutes. No CFC chemicals. Moisture protection. No blushing, bubbling, or lifting. Available in a variety of colors. Quick drying. Non-drip.

GM VEHICLE APPLICATION:
For engines, transmissions, motors, and other equipment.

ENGINE ENAMEL PAINT – CORPORATE BLUE

CONTAINER SIZE	UNIT PACKAGE	PART NUMBER
11 oz.	6	89021942

PRODUCT DESCRIPTION AND FUNCTION:
Quick drying.
Non-drip.
Provides moisture protection.
Do not apply to hot surfaces or while engine is running.

Goodwrench

GM VEHICLE CARE TOUCH-UP PAINT DISPLAY RACK

Touch-up paint not included.

HIGH VISIBILITY AT LOW COST

The sturdy, standard metal display rack holds 24 1/2-ounce tubes. This conventional, stand-alone display rack comes with an attractive header card to catch your customers' attention.

STANDARD METAL RACK

Dimensions:
15" high x
8" wide x
5" deep

*Part Number: 9M904625

To order, submit through the Parts Workbench system using QPO order type.

GM VEHICLE CARE TOUCH-UP PAINTS AND PAINT GUIDE

HOW TO USE THE GM VEHICLE CARE TOUCH-UP PAINT CHARTS

Touch-up paint tubes and spray cans are consolidated into charts by model year, then by body style.

The touch-up paints are listed by the "WA" (four digit) code. This code is the proper method for choosing paint. While there may be more paint colors with identical "GM" (two digit) codes, each paint color has only one specific "WA" code.

This catalog includes 2010 through 2008 charts.

To order, submit through the Parts Workbench system using QPO order type.

When ordering tubes or aerosols provide a mailing address and a P.O. Box.

1/2-ounce tubes – For any touch-up paint order less than 12 units (1 to 11), add $1.30 per unit handling charge.

Orders for 12 units or more will be shipped prepaid.

OR

5-ounce spray cans – For any touch-up paint order less than 12 units (1 to 11), add $1.30 per unit handling charge.

Orders for 12 units or more will be shipped prepaid.

To order, submit through the Parts Workbench system using QPO order type.

Goodwrench

2010 PASSENGER TOUCHUP PAINT CHART

NOTE: IF COLOR IS NEW OR NEW TO A VEHICLE A 3 ALPHA CODE WILL BE USED. C/O CODE IS USED ON C/O USAGES	WA #	Color Name	CORP COLOR STATUS NEW, C/O PA = PULL AHEAD 2009	CORVETTE C6 GMX-245	CADILLAC XLR GMX-215	CHEVY MALIBU GMX-386 SATURN AURA GMX-354	GLOBAL EPSILON BUICK GMX-353	PONTIAC G6 GMX 381	CHEVY MALIBU GMX-386 (FLEX)	GMT-171 CHEVY/GMT-177 GMC	SATURN OUTLOOK GMT-966/ BUICK ENCLAVE GMT-967/ GMC ACADIA GMT-968	CHEVY TRAVERSE GMT-561	IMPALA GMX-211	CAMARO GMX-521	CADILLAC GMT 166 SUV	SAAB GMT 168 SUV	HHR GMT001	SATURN VUE GMT-319	CHEVY COBALT GMX001	PONTIAC G5 GMX001	BUICK LUCERNE GMX-222	CADILLAC DTS GMX-272	CADILLAC CTS WAGON GMX-206	CADILLAC CTS COUPE GMX-226	CADILLAC CTS GMX-322	CADILLAC STS GMX-295	GMX-020/GMX-627 PONT SOLSTICE	GMX-023 SATURN SKY	GMX-024 OPEL	**CHEVROLET AVEO	T255 AVEO/WAVE/ H/B	SATURN ASTRA A3360	PONTIAC VIBE GMX126	PONTIAC G8	Touchup Paint Tube (0.5 oz)	Touchup Paint Spray (5 oz)
N/A	N/A	FILLER PRIMER	ALL																																12345116	12345117
N/A	N/A	CLEAR TOP COAT (REPAIRS CLEAR COAT)	ALL																																12345118	12345119
1RU	250M	PANNACOTTA(SANDSTONE)	C/O																													C			88860837	NOT REQ'D
2AU	782J	STAR SILVER III	C/O																													C			88860839	NOT REQ'D
2HU	784J	BLACK SAPPHIRE	C/O																													C			88860841	NOT REQ'D
4CU	923K	ULTRA BLUE	C/O																													C			88860843	NOT REQ'D
04U	402N	URBAN GRAY	C/O																														C		88860709	88860710
06U	403N	FLAME RED	C/O																														C		88860713	88860714
08U/GKP	590Q	MARY KAY PEARL TRICOAT V	C																			C				C	C								88860791	88860792
10U	590F	CASABLANCA WHITE	C/O																													C			88860845	NOT REQ'D
11U	143L	GALAXY WHITE	C/O																												C	C			12346803	12346804
11U	679F	HERON WHITE	C/O				C																											C	88860849	88860850
10U	9567	ARCTIC WHITE	C	C	C																														12345587	12345588
12U/GIP	519Q	DARK BRAHMA JEWEL MET	C		C																		C	C	C	C	C	C							88860795	88860796
13U	573Q	PPG MERLOT JEWEL MET	C					C		N																									88860797	88860798
16U	691R	FAYENCE UNI (?)	C/O						C																							C			88860903	88860904
17U/GAN	636R	SWITCHBLADE SILVER MET	C	C	C	C	C	C	C	C	C		C	C	C	C	N	C	C	C	C	C	C	C	N	C	C				N			C	88860859	88860860
18U	345N	EVOKE DK GRAY	C																															C	88860879	88860880
19U	546G	BLACK MICA	C																														C		12346480	12346481
19U	990A	(CAMI ONLY) JET BLACK	C							C																									12346068	12346069
20U	603R	SILVER MET.	C																														C		88860887	88860888
20U	692R	IMPRESSION BLUE	C																													C			88860889	88860890
22U	482P	TACOMA BLUE	C																														C		88860787	88860788
22U	640R	HYDRO BLUE MET	C																												C				88860861	88860862
23U	563Q	(CAMI ONLY) ATLANTA BLUE MET	C							C																									88860827	88860828
25U	722J	DK MING BLUE MET	C								C		C										C	C											12346575	12346576
26U/GJW	214M	BERMUDA BLUE MET	C																						N	N	N								12346779	12346780
26U	352N	RED PASSION	C																															C	88860881	88860882
28U	502Q	INFERNO ORANGE MET	C												C																C	C	C		88860799	88860800
33U	156L	SPORTS BLUE	C																													C				12346805	12346806
33U	602R	MACHINE BLUE MET	C																														C		88860891	88860892
34U	9414	YELLOW	C												C													C	C	C					12346641	12346642
37/GAP	403P	IMPERIAL BLUE MET	C			C	C	C	C				C	N	C	N	C	C	C	C											C	C			88860737	88860738
39U	608R	VOODOO BLUE	C																															C	88860883	88860884
40U	8554	WHITE	C								C												C	C									C		1052906	12345154
41U/GBA	8555	BLACK	C	C	C								C	C	C	N	C	C	C	C			C	C	C	N	C	C	C	C	C	C			1052907	12345155
42U	911L	DK TARNISHED SILVER MET	C																													C			12346747	12346748
45U	300N	VELOCITY YELLOW TINTCOAT	C	C																															12346907	12346908
46U	928L	STEALTH GRAY MET	C																													C			12346711	12346712
48U	406P	ALL TERRAIN BLUE	C																									C	C	C					88860741	88860742
50U/GAZ	8624	OLYMPIC WHITE	C			C	C	C	C				C	N	N				C	C								C	C		C	C			1050015	12345205
51U/GAO	316N	GOLD MIST MET	C			C	C	C	C	C				C		C	N	C	C	C										C	C			12346909	12346910
52U	229L	HIGHWAY YELLOW	C																													C			12346809	12346810
57U	637R	CYBER GRAY MET	C	C	C					C			C	C	C	N	N	N	N				C	C								N			88860865	88860866
58U/GAR	501Q	CARBON FLASH MET	C			C	C	C	C		C		C	C							C	C			C	N	C	C				C	C			88860803	88860804
58U	565Q	(CAMI ONLY) CARBON FLASH MET	C							C																										88860831	88860832
61U/GBD	638R	AQUA BLUE MET	C											C	C	C	N	C	C						C	C	C								88860869	88860870
62U	687F	RED HOT	C																															C	12346753	12346754
63U	270M	POWER RED	C																														C		88860847	NOT REQ'D
64U	610R	KARMA DARK GREEN	C																															C	88860885	88860886
67U	994L	LIGHT TARNISHED SILVER MET	C																									C	C	C	C				12346693	12346694

APPLICATION CODES
C/O = Carry Over
N = New
P = Promotional

2010 PASSENGER TOUCHUP PAINT CHART

NOTE: IF COLOR IS NEW OR NEW TO A VEHICLE A 3 ALPHA CODE WILL BE USED. C/O CODE IS USED ON C/O USAGES	WA #	Color Name	CORP COLOR STATUS NEW, C/O PA = PULL AHEAD 2009	CORVETTE C6 GMX-245	CADILLAC XLR GMX-215	CHEVY MALIBU GMX-386 SATURN AURA GMX-354	GLOBAL EPSILON BUICK GMX-353	PONTIAC G6 GMX 381	CHEVY MALIBU GMX-386 (FLEX)	GMT-171 CHEVY/GMT-177 GMC	SATURN OUTLOOK GMT-966/ BUICK ENCLAVE GMT-967/ GMC ACADIA GMT-968	CHEVY TRAVERSE GMT-561	IMPALA GMX-211	CAMARO GMX-521	CADILLAC GMT 166 SUV	SAAB GMT 168 SUV	HHR GMT001	SATURN VUE GMT-319	CHEVY COBALT GMX001	PONTIAC G5 GMX001	BUICK LUCERNE GMX-222	CADILLAC DTS GMX-272	CADILLAC CTS WAGON GMX-206	CADILLAC CTS COUPE GMX-226	CADILLAC CTS GMX-322	CADILLAC STS GMX-295	GMX-020/GMX-627 PONT SOLSTICE	GMX-023 SATURN SKY	GMX-024 OPEL	**CHEVROLET AVEO	T255 AVEO/WAVE/ H/B	SATURN ASTRA A3360	PONTIAC VIBE GMX126	PONTIAC G8	Touchup Paint Tube (0.5 oz)	Touchup Paint Spray (5 oz)
70U	605R	CHARCOAL GRAY MET	C										C	C			C	C	C	C							C	C	C	C			C		88860893	88860894
70U	9075	TORCH RED	C	N																																12345590	12345591
71U	238L	SUPER RED (WAS 73U)	C																														C			12346813	12346814
72U	604R	MIDNIGHT BLUE MET	C																																C	88860895	88860896
74U	9260	VICTORY RED	C																										C	C	C	C	C			12345538	12345539
75U	411P	TECHNO GRAY MET.	C																												C					88860751	88860752
79U	517Q	MERLOT JEWEL MET	C																										C	C	C	C	C			88860807	88860808
80U/GAQ	301N	RED JEWEL TINTCOAT	C			C	C				C	C	C	C																						12346917	12346918
80U	690F	PHANTOM BLACK	C																																C	12346757	12346758
81U	414P	COCOA MET	C								C	C																								88860755	88860756
82U	601R	TRAVERSE BLUE MET	C																																C	88860897	88860898
85U	512Q	BLUESTREAM TINTCOAT	C	C																																88860809	88860810
86U	606R	RED MET	C																																C	88860899	88860900
89U/GBE	505Q	CRYSTAL CLARET TINTCOAT	C	C	C										C	N	C	C	N	N	C	C	C	N	C	C										88860813*	88860814*
91U	567Q	PEARL FROST TRICOAT	C																		N	C														88860871	88860872
92U	246L	POLY SILVER	C																													C				12346833	12346834
92U/GAV	633R	URBANE MOSS MET	C			C	C	C	C		C	C							C	C																88860873	88860874
94U/GBR	560Q	PLATINUM ICE TRICOAT	C												N	N																				88860815*	88860816*
96U/GBO	580Q	MYSTIC SAPPHIRE TRICOAT	C																						C	N	C	C								88860817	88860818
96U	686H	(CAMI ONLY) BRIGHT WHITE	C							C																										12346556	12346557
97U/GIM	642R	TIARA TAN MET	C								N	N											N	N	C	N	C	N								88860875	88860876
98U/GBN	800J	WHITE DIAMOND	C			N	C	C	N		C												C	C	C	N	C	C								12346585	12346586
GBB OR GBU-TBD	703S	ICE WHITE	N													N	N	N																		88860909	88860910
GHE	710S	OPUS GREEN SS	N																										N	N						88860917	88860918
GHF	720S	KINETIC BLUE MET	N																										N	N	N		N			88860929	88860930
GGV	717S	SANTIAGO TEAL MET	N																										N	N						88860923	88860924
GGX	644R	PARAGON BRONZE MET	N																				N	N	N	N	N	N								88860907	88860908
GHS	708S	SYNERGY GREEN MET	N												N				N	N																88860915	88860916
GGW	707S	DARK LABYRINTH MET	N			N	N	N	N		N								N	N				N	N	N	N	N	N	N	N					88860913	88860914
GHA	706S	MAGNA STEEL MET	N			N	N	N	N	N																										88860911	88860912
GHG	732S	WARM MIST MET	N													N																				88860937	88860938
GHR	721S	PULSE YELLOW MET	N					N											N	N																88860931	88860932
GHU	727S	CREST BLUE MET	N																																	88860935	88860936
GGT	715S	SERAPH ORANGE MET	N							N							N	N																		88860921	88860922
GGU	718S	EVOLUTION BLUE MET	N								N	N											N	N												88860925	88860926
GHB	719S	ARDENT BROWN	N			N																														88860927	88860928
99U	368N	GUNMETAL MET	C																																	12346919	12346920
GJV	817S	Ignition Orange MET																																	N	88860951	88860952

*NOTES: DUE TO THE NATURE OF THESE COLORS TWO TUBES OR TWO CANS ARE SUPPLIED TO MATCH THE COLOR
A BASECOAT AND B TOPCOAT BOTH ARE REQUIRED TO MATCH THE COLOR

APPLICATION CODES
C/O = Carry Over
N = New
P = Promotional

PAINTS

Goodwrench

2010 TRUCK TOUCHUP PAINT CHART

GM RPO Number	WA Number	2010 TRUCK TOUCHUP PAINT CHART Color Name	CORP. COLOR STATUS NEW, C/O, PA=PULL AHEAD 2009	C/K SILVERADO / SIERRA	C/K TAHOE / YUKON SUBURBAN / YUKON XL	C/K YUKON DENALI	C/K ESCALADE / ESCALADE ESV EXT	C/K ESCALADE EXT	C/K AVALANCHE	CK/SUBURBAN	C/K HUMMER H2	G VAN EXPRESS / SAVANA	MEDIUM DUTY	S/T COLORADO / CANYON	S/T HUMMER H3 H3T HUMMER CREW	S/T TRAILBLAZER / ENVOY	Paint Tube (0.5 oz)	Paint Spray (5 oz)
			NEW	GMT	GMT	GMT	GMT	GMT	GMT	GMT		GMT	GMT	GMT	GMT	GMT		
			C/O	900	921/931 922/932	922D/ 932D	926/936	946	941	931	H2	610	560	355	345/745	360		
N/A	N/A	FILLER PRIMER	ALL														12345116	12345117
N/A	N/A	CLEAR TOPCOAT REPAIR	ALL														12345118	12345119
12U/GIP	519Q	DK BRAHMA JEWEL MET	C/O	C												C	88860795	88860796
14U	308N	COSMIC QUARTZ MET	C/O													N	12346905	12346906
15U	929L	CASHMERE MET	C/O									C					12346725	12346726
16U	213M	GRAYSTONE MET	C/O		C				C	C		C	C			C	12346781	12346782
17U/GAN	636R	SWITCHBLADE SILVER MET	C/O								C					C	88860859	88860860
21U	218M	LASER BLUE MET	C/O		N		N	N	N								12346785	12346786
25U	722J	DK MING BLUE MET	C/O		C		C		C	C		C					12346575	12346576
28U	502Q	INFERNO ORANGE MET	C/O						C					C	C		88860799	88860800
37U/GAP	403P	IMPERIAL BLUE MET	C/O	C												C	88860737	88860738
39U	9792	INDIGO MET	C/O										C				12345993	12345994
41U/GBA	8555	BLACK	C/O	C	C	C	C	C	C	C	C	C	C	C	C	C	1052907	12345155
43U	5456	YELLOW	C/O														12346587	12346588
46U	928L	STEALTH GRAY MET	C/O														12346711	12346712
47U	9539	MD GREEN PEARL MET	C/O									C	C				12345775	12345776
48U	406P	ALL TERRAIN BLUE	C/O											C	C		88860741	88860742
50U/GAZ	8624	OLYMPIC WHITE	C/O	C	C	C			C	C	C	C	C	C	C	C	1050015	12345205
51U/GAO	316N	GOLDMIST MET	C/O		C	C	C		C	C							12346909	12346910
57U	637R	CYBER GRAY MET	C/O														88860865	88860866
58U/GAR	501Q	CARBON FLASH MET	C/O	C										C	C	C	88860803	88860804
59	926L	FINE SILVER BIRCH MET	CANC									C					12346701	12346702
61U/GBD	638R	AQUA BLUE MET	C/O											C			88860869	88860870
63U	817K	SPORT RED MET	C/O									C					12346661	12346662
66U	412P	SONOMA JEWEL MET	C/O	C	C				C	C							88860753	88860754
74U	9260	VICTORY RED	C/O	C					C			C	C	C	C		12345538	12345539
75U	411P	TECHNO GRAY MET	C/O														88860751	88860752
79U	517Q	MERLOT JEWEL MET	C/O											N	N		88860807	88860808
80U/GAQ	301N	RED JEWEL TINTCOAT	C/O		C	C	C									C	12346917	12346918
85U	802K	SUNBURST ORANGE MET	C/O														12346637	12346638
92U	633R	URBANE MOSS MET	C/O														88860873	88860874
97U/GIM	642R	TIARA TAN MET	C/O													C	88860875	88860876
98U/GBN	800J	WHITE DIAMOND	C/O				C	C									12346585	12346586
GGT	715S	SERAPH ORANGE MET	NEW								N						88860921	88860922
GGU	718S	EVOLUTION BLUE MET	NEW	N										N	N	N	88860925	88860926
GGV	717S	SANTIAGO TEAL MET	NEW	N													88860923	88860924
GGW	707S	DK LABRYINTH MET	NEW	N	N		N		N	N	N						88860913	88860914
GGZ	726S	SHEER SILVER MET	NEW	N	N	N	N	N	N	N		N		N	N		88860933	88860934
GHA	706S	MAGNA STEEL MET	NEW			N											88860911	88860912
GHF	720S	KINETIC BLUE MET	NEW														88860929	88860930
GHR	721S	PULSE YELLOW MET	NEW								N						88860931	88860932
GHT	713S	SWERVE GREEN MET	NEW											N	N		88860919	88860920

APPLICATION CODES
C/O = Carry Over
N = New
P = Promotional

2009 PASSENGER TOUCHUP PAINT CHART

GM Code	WA Number	2009 PASSENGER TOUCHUP PAINT CHART Description	Status	C/O OR NEW COLOR IN GM LINE: PA - PULL AHEAD	CHEVROLET COBALT	PONTIAC G5 PURSUIT	CHEVROLET HHR	CHEVROLET MALIBU	CHEVROLET IMPALA	CHEVROLET CORVETTE C6	PONTIAC SOLSTICE/TARGA	PONTIAC VIBE (SOP EARLY 2008)	PONTIAC G6	PONTIAC G8 (HOLDEN)	BUICK LACROSSE	BUICK LUCERNE	CADILLAC CTS WAGON	CADILLAC CTS/CTSV	CADILLAC DEVILLE/DTS	CADILLAC SRX	CADILLAC STS	CADILLAC XLR	BUICK ENCLAVE	GMC ACADIA	UPLANDER MONTANA SV6	CHEVROLET AVEO	Tube Number	Spray Number
					GMX 001	GMX 001	GMT 001	GMX 386	GMX 211	GMX 245	GMX 020/627	GMX 126	GMX 381	G8	GMX 365	GMX 222	GMX 206	GMX 322	GMX 272	GMT 265	GMX 295	GMX 215	GMT 967	GMT 968	GMT 201	T255		
N/A	N/A	FILLER PRIMER	C/O	C	C	C	C	C	C	C	C	C	C	C	C	C	N	C	C	C	C	C	C	C	C	C	12345116	12345117
N/A	N/A	CLEAR TOP COAT	C/O	C	C	C	C	C	C	C	C	C	C	C	C	C	N	C	C	C	C	C	C	C	C	C	12345118	12345119
04U	402N	URBAN GRAY	C/O																							C	88860709	88860710
06U	403N	FLAME RED	C/O																							C	88860713	88860714
08U	590Q	MARY KAY PEARL TRICOAT	C/O																C	C	C						88860791	88860792
10U	9567	ARCTIC WHITE	C/O							C																	12345587	12345588
11U	143L	GALAXY WHITE	C/O																							C	12346803	12346804
11U	679F	HERON WHITE	C/O											C													88860849	88860850
12U	519Q	DARK BRAHMA JEWEL MET.	C/O													C		C	C	C	C	N	C	C			88860795	88860796
13U	573Q	PPG MERLOT JEWEL MET.	C/O										C														88860797	88860798
14U	308N	COSMIC QUARTZ MET.	C/O																						C		12346905	12346906
15U	929L	CASHMERE MET.	C/O																								12346725	12346726
16U	691R	TAHITI GREEN	C/O																							C	88860903	88860904
17U	636R	SWITCHBLADE SILVER MET.	N	N	N	N	N	N	N			N	N	N	N	N	N	N	N	N	N	N	N	N			88860859	88860860
18U	345N	EVOKE DK GRAY	C/O										C														88860879	88860880
19U	546G	BLACK MICA	C/O									C															12346480	12346481
19U	990A	BLACK LICORICE (JET)	C/O																								12346068	12346069
20U	603R	SILVER MET.	N									N															88860887	88860888
20U	692R	IMPRESSION BLUE	C/O																							C	88860889	88860890
22U	482P	TACOMA BLUE	N									C															88860787	88860788
22U	640R	HYDRO BLUE MET. (REQ'D 1-2008)	N								N																88860861	88860862
23U	563Q	ATLANTA BLUE MET.	C/O																								88860827	88860828
25U	722J	DARK MING BLUE MET.	C/O													C			C				C	C			12346575	12346576
26U	352N	RED PASSION	N											N													88860881	88860882
28U	502Q	INFERNO ORANGE MET.	C/O								C																88860799	88860800
29U	964L	SPORT RED TINTCOAT	C/O	C	C																						12346745	12346746
30U	417P	KEVLAVA GRAY MET.	C/O															C		C	C						88860759	88860760
31U	154L	DENIM BLUE	C/O																								12346827	NOT REQ'D
33U	156L	SPORTS BLUE	C/O																							C	12346805	12346806
33U	602R	MACHINE BLUE MET.	N									N															88860891	88860892
34U	9414	YELLOW	C/O	C	C						C																12346641	12346642
37U	403P	IMPERIAL BLUE MET.	C/O	C	C	C	C	C					C		C												88860737	88860738
38U	215M	EMERALD JEWEL MET.	C/O								C																12346797	12346798
39U	520Q	MYSTIC BLUE FLASH MET.	C/O			N																					88860801	88860802
39U	608R	VOODOO BLUE	N											N													88860883	88860884
40U	8554	WHITE	C/O						C						C	C			C				C	C			1052906	12345154
40U	9737	WHITE	C/O									C															12345598	12345599
41U	8555	BLACK	C/O	C	C	C		C	C	C					C	C	N	C	C	C	C	C					1052907	12345155
42U	911L	DK. TARNISHED SILVER MET.	C/O					C							C												12346747	12346748
45U	300N	VELOCITY YELLOW TINTCOAT	C/O							C																	12346907	12346908
48U	406P	ALL TERRAIN BLUE	C/O								N																88860741	88860742
49U	204M	BORDEAUX RED MET.	C/O																						C		12346783	12346784
50U	8624	OLYMPIC WHITE	C/O	C	C	C	N				C		N											CANC	C		1050015	12345205
51U	316N	GOLD MIST MET.	C/O	N		N	N	C					N		C	C	N	C	C	C	C		C	C	C		12346909	12346910
52U	229L	HIGHWAY YELLOW	C/O																							C	12346809	12346810
57U	637R	CYBER GRAY MET.	N						N	N						N			N			N					88860865	88860866

APPLICATION CODES
C/O = Carry Over
N = New
P = Promotional

PAINTS

Goodwrench

2009 PASSENGER TOUCHUP PAINT CHART

GM Code	WA Number	2009 PASSENGER TOUCHUP PAINT CHART Description	Status	C/O OR NEW COLOR IN GM LINE: PA - PULL AHEAD	CHEVROLET COBALT GMX 001	PONTIAC G5 PURSUIT GMX 001	CHEVROLET HHR GMT 001	CHEVROLET MALIBU GMX 386	CHEVROLET IMPALA GMX 211	CHEVROLET CORVETTE C6 GMX 245	PONTIAC SOLSTICE/TARGA GMX 020/627	PONTIAC VIBE (SOP EARLY 2008) GMX 126	PONTIAC G6 GMX 381	PONTIAC G8 (HOLDEN) G8	BUICK LACROSSE GMX 365	BUICK LUCERNE GMX 222	CADILLAC CTS WAGON GMX 206	CADILLAC CTS/CTSV GMX 322	CADILLAC DEVILLE/DTS GMX 272	CADILLAC SRX GMT 265	CADILLAC STS GMX 295	CADILLAC XLR GMX 215	BUICK ENCLAVE GMT 967	GMC ACADIA GMT 968	UPLANDER MONTANA SV6 GMT 201	CHEVROLET AVEO T255	Tube Number	Spray Number
58U	501Q	CARBON FLASH MET.	C/O	N	N		C					C					N	N		N	N		C	C			88860803	88860804
58U	693R	CARBON FLASH BLACK	C/O																							C	88860901	88860902
61U	638R	AQUA BLUE MET.	C/O						N																		88860869	88860870
62U	687F	RED HOT	C/O											C													12346753	12346754
64U	610R	KARMA DARK GREEN	N											N													88860885	88860886
67U	994L	LT. TARNISHED SILVER	C/O								C														C		12346693	12346694
70U	605R	CHARCOAL GRAY MET.	N									N															88860893	88860894
71U	238L	SUPER RED (WAS 73U)	C/O																							C	12346813	12346814
71U	320N	LUNAR QUARTZ MET.	C/O				N																				12346915	12346916
72U	604R	MIDNIGHT BLUE MET.	N									N															88860895	88860896
74U	9260	VICTORY RED	C/O	C	C	N		N	C	C																	12345538	12345539
75U	411P	TECHNO GRAY MET.	C/O			N	C			C			C														88860751	88860752
76U	518Q	MOCHA BRONZE MET.	C/O					C							C	C			C								88860805	88860806
78U	400P	TRANSITION BLUE MET.	C/O				C						C			N		CANC	CANC	CANC	CANC						88860735	88860736
79U	517Q	MERLOT JEWEL MET. (BASF)	C/O			C					N																88860807	88860808
80U	301N	RED JEWEL TINTCOAT	C/O				C	C							C									C	C			12346917	12346918
80U	690F	PHANTOM BLACK	C/O											C													12346757	12346758
81U	414P	COCOA MET.	C/O																					C	C	C	88860755	88860756
82U	601R	TRAVERSE BLUE MET.	N									N															88860897	88860898
83U	418P	ATOMIC ORANGE TINTCOAT MET.	C/O							C																	88860761	88860762
85U	512Q	BLUESTREAM TINTCOAT	C/O							N													C				88860809	88860810
86U	606R	RED MET.	N									N															88860899	88860900
87U	503Q	INK SLATE MET.	C/O	C	C			C							C											C		88860811	88860812
89U	505Q	CRYSTAL CLARET TINTCOAT (2PC*)	C/O			N			N							C	N	C	C	C	C	C						88860813*	88860814*
91U	567Q	PEARL FROST TRICOAT	N																N									88860871	88860872
92U	246L	POLY SILVER	C/O																							C	12346833	12346834
92U	633R	URBANE MOSS MET.	N	N	N		N						N											N	N			88860873	88860874
96U	580Q	MYSTIC SAPPHIRE TRICOAT	N													N	N	N	C	N								88860817	88860818
98U	800J	WHITE DIAMOND PEARL	C/O										N			C	N	C	C	C	C			C	C			12346585	12346586

***NOTES:** DUE TO THE NATURE OF THESE COLORS TWO TUBES OR TWO CANS ARE SUPPLIED TO MATCH THE COLOR – A BASE COAT AND A TOP COAT.
54U COGNAC FROST TRICOAT WA472P PACKAGE CONSISTS OF 88860775 (2 TUBES) AND 88860776 (2 SPRAY CANS).
ALSO 89U CRYSTAL CLARET AND 94U PLATINUM ICE ARE 2 PIECE COLORS.

BUICK ENCLAVE LOWER BODY ACCENT COLORS

RPO	WA	DESCRIPTION	N C/O	USE WITH RPO'S ABOVE			TUBE	SPRAY
TBD	W30A529Q	DK COCO ASH	C/O	51U WA316N;81U WA414P	C		88860819	88860820
TBD	W30A550Q	DK BLOSSOM RED	C/O	12U WA519Q	C		88860821	88860822
TBD	W30A6246	DK ARGENT	C/O	25U WA722J; 58U WA501Q	C		88860823	88860824
TBD	W30A8945	CHARCOAL	C/O	40U WA8554; 67U WA994L;78U WA400P; 80U WA301N	C		88860825	88860826
TBD	W30A733J	SATIN NICKEL METALLIC	C/O	94U WA560Q; 98U WA800J	C		88860857	88860858

APPLICATION CODES
C/O = Carry Over
N = New
P = Promotional

2009 TRUCK EXTERIOR PAINT PROGRAM

GM Code	WA Number	2009 TRUCK EXTERIOR PAINT PROGRAM Description	Status	900	921/922 931/932	922D 932D	926 936	946	941	H2	345/ 745	355	360	610	560	Tube Number	Spray Number
			C/O OR NEW COLOR IN GM LINE: PULL AHEAD	C/K SILVERADO/SIERRA	C/K TAHOE/YUKON C/K SUBURBAN/YUKON XL	C/K YUKON DENALI	C/K ESCALADE/ ESCALADE ESV EXT	C/K ESCALADE EXT	C/K AVALANCHE	C/K HUMMER H2	S/T HUMMER H3 GMT345 NEW H3T GMT745 CREW	S/T COLORADO/ CANYON GMT 365	S/T TRAILBLAZER/ENVOY GMT360 SAAB 9-7	G VAN EXPRESS/ SAVANA GMT610	MEDIUM DUTY GMT560		
N/A	N/A	FILLER PRIMER	C/O	C	C	C	C	C	C	C	C	C	C	C	C	12345116	12345117
N/A	N/A	CLEAR TOP COAT	C/O	C	C	C	C	C	C	C	C	C	C	C	C	12345118	12345119
12U	519Q	DK BRAHMA JEWEL MET.	C/O	C	N	N	N						TB/ENV			88860795	88860796
15U	929L	CASHMERE MET.	C/O											C		12346725	12346726
16U	213M	GRAYSTONE MET.	C/O	C	C	C			C	C			C	C	C	12346781	12346782
17U	636R	SWITCHBLADE SILVER MET.	N							N			N			88860859	88860860
21U	218M	LASER BLUE MET. (PROMO COLOR 1-1-09)	C/O	N												12346785	12346786
25U	722J	DK. MING BLUE MET.	C/O	C	C	C	C		C					C		12346575	12346576
28U	502Q	INFERNO ORANGE MET.	C/O						N	C	C	C				88860799	88860800
37U	403P	IMPERIAL BLUE MET.	C/O	C									C			88860737	88860738
39U	9792	INDIGO MET.	C/O												C	12345993	12345994
41U	8555	BLACK	C/O	C	C	C	C	CANC	C	C	C	C	C	C	C	1052907	12345155
42L	911L	DK TARNISHED SILVER M. BLAZER LWR2/T	C/O										BLAZER			12346747	12346748
46U	928L	STEALTH GRAY MET.	C/O	C	C	N	N	CANC	C							12346711	12346712
47U	9539	MID. GREEN PEARL MET.	C/O											C	C	12345775	12345776
48U	406P	ALL TERRAIN BLUE	C/O							C	N	N				88860741	88860742
50U	8624	OLYMPIC WHITE	C/O	C	C	C			C	C	C	C	C	C	C	1050015	12345205
51U	316N	GOLDMIST MET.	C/O		C	C	C	C	C							12346909	12346910
55U	635R	COPPER HAZE MET.	N							N						88860863	88860864
57U	637R	CYBER GRAY MET.	N										N			88860865	88860866
58U	501Q	CARBON FLASH MET.	C/O	N	CANC	N				N	C	C	C			88860803	88860804
58U	565Q	PPG CARBON FLASH MET.	C/O													88860831	88860832
59U	926L	FINE SILVER BIRCH MET.	C/O	C	C	C	C	C	C		C	C		C		12346701	12346702
61U	638R	AQUA BLUE MET.	N									N				88860869	88860870
63U	817K	SPORT RED MET.	C/O											C		12346661	12346662
66U	412P	SONOMA JEWEL MET.	C/O	C	C	C		CANC	C		C	C				88860753	88860754
74U	9260	VICTORY RED	C/O	C					C		C	C		C	C	12345538	12345539
75U	411P	TECHNO GRAY MET.	C/O								C	C				88860751	88860752
80U	301N	RED JEWEL TINTCOAT	C/O		C	C	C						C			12346917	12346918
92U	633R	URBANE MOSS MET.	N										TB/ENV			88860873	88860874
96U	686H	PPG BRIGHT WHITE	C/O													12346556	12346557
97U	642R	TIARA TAN MET.	N								N		N			88860875	88860876
98U	800J	WHITE DIAMOND TRICOAT	C/O				C	C								12346585	12346586
9W3	253A	WHEATLAND YELLOW (WAS CC86U)	C/O												9W3	12346885	12346886
9W4	9417	TANGIER ORANGE (WAS CC88U)	C/O												9W4	12345771	1245772
9V5	9015	WOODLAND GREEN (WAS CC46U)	C/O												9V5	12346883	12346884
9V9	8265	DOESKIN TAN (WAS CC61U)	C/O												9V9	1052880	1052873

APPLICATION CODES
C/O = Carry Over
N = New
P = Promotional

Goodwrench

2008 PASSENGER CAR EXTERIOR PAINT PROGRAM

GM Code	WA Number	2008 PASSENGER CAR EXTERIOR PAINT PROGRAM Description	Status	C/O OR NEW COLOR IN GM LINE: PA - PULL AHEAD	CHEVROLET COBALT	PONTIAC G5 PURSUIT	CHEVROLET HHR	CHEVROLET MALIBU (FLEET)	CHEVROLET MALIBU	CHEVROLET IMPALA	CHEVROLET CORVETTE C6	PONTIAC SOLSTICE	PONTIAC VIBE	PONTIAC G6	PONTIAC GRAND PRIX	PONTIAC G8	BUICK LA CROSSE	BUICK LUCERNE	CADILLAC CTS/CTSV	CADILLAC DEVILLE/DTS	CADILLAC SRX	CADILLAC STS	CADILLAC STSV	CADILLAC PLATINUM STS	CADILLAC XLR	BUICK ENCLAVE (SEE ACCENTS BELOW)	GMC ACADIA	UPLANDER/MONTANA SV6	CHEVROLET AVEO	Tube Number	Spray Number
					GMX 001	GMX 001	GMT 001	GMX 380	GMX 386	GMX 211	GMX 245	GMX 020	GMX 125	GMX 381	GMX 367	G8	GMX 365	GMX 222	GMX 322	GMX 272	GMT 265	GMX 295	GMX 295	GMX 295	GMX 215	GMT 967	GMT 968	GMT 201	T255		
N/A	N/A	FILLER PRIMER	C/O	C	C	C	C	C	C	C	C	C	C	C	N	C	C	C	C	C	C	C	C	C	N	C	C	C	12345116	12345117
N/A	N/A	CLEAR TOP COAT	C/O	C	C	C	C	C	C	C	C	C	C	C	N	C	C	C	C	C	C	C	C	C	N	C	C	C	12345118	12345119
04U	402N	URBAN GRAY	C/O																									C	88860709	88860710
05U	404N	MISTY BLUE	C/O																									C	88860711	88860712
06U	403N	FLAME RED	C/O																									C	88860713	88860714
08U	590Q	MARY KAY PEARL TRICOAT	N&PA 2007																N	N	N	N							88860791	88860792
10U	9567	ARCTIC WHITE	C/O								C														N				12345587	12345588
11U	506Q	GOLDSTREAM MET.	N																						N				88860793	88860794
11U	143L	GALAXY WHITE	C/O																									C	12346803	12346804
11U	679F	HERON	N													N													88860849	88860850
12U	519Q	DARK BRAHMA JEWEL MET.	N&PA 2007															N	N	N	N	N				N	N		88860795	88860796
13U	573Q	PPG MERLOT JEWEL MET.	N											N															88860797	88860798
14U	303M	SATELLITE SILVER	C/O										C																12346857	12346858
14U	308N	COSMIC QUARTZ MET.	C/O															C		C							CANC		12346905	12346906
15U	929L	CASHMERE MET.	C/O	C		C	C	C						C															12346725	12346726
18U	345N	EVOKE DARK GRAY	N													N													88860879	88860880
19U	546G	BLACK MICA	C/O										C																12346480	12346481
20U	692R	IMPRESSION BLUE	N																									N	88860889	88860890
22U	482P	TACOMA BLUE	N										C																88860787	88860788
25U	449N	K-POW	N													N													88860853	88860854
25U	722J	DARK MING BLUE MET.	C/O									C						C	C	C	C	C				N	C	CANC		12346575	12346576
27U	946L	COBALT RED	C/O							C					C		N												12346791	12346792
28U	502Q	INFERNO ORANGE MET.	N&PA 2007									N																	88860799	88860800
29U	964L	SPORT RED TINTCOAT	C/O	C	C																								12346745	12346746
30U	417P	KEVLAVA GRAY MET.	C/O																C		C	C	C	C					88860759	88860760
31U	154L	DENIM BLUE	C/O																										12346827	NOT REQ'D
32U	155L	PASTEL BLUE (USA AVEO)	C/O																									CANC	12346869	12346870
33U	156L	SPORTS BLUE	C/O																									C	12346805	12346806
34U	9414	YELLOW	C/O	C	C							C																	12346641	12346642
37U	403P	IMPERIAL BLUE MET.	C/O	N	N	C		N	C					N	C		C												88860737	88860738
38U	215M	EMERALD JEWEL MET.	C/O									C		C															12346797	12346798
39U	520Q	MYSTIC BLUE FLASH MET.	N	N	N	N																							88860801	88860802
40U	8554	WHITE	C/O				C	C	C					C	C		C	C		C						N	C			1052906	12345154
40U	9737	WHITE	C/O										C																12345598	12345599
41U	8555	BLACK	C/O	C	C	C			C	C	C	C		C	C		C	C	C	C	C	C	C	C	C					1052907	12345155
42U	911L	DK. TARNISHED SILVER MET.	C/O						C						C		C													12346747	12346748
44U	721H	MEDIUM MICA RED MET.	C/O										C																	12346558	12346559
45U	300N	VELOCITY YELLOW TINTCOAT	C/O								C																			12346907	12346908
49U	204M	BORDEAUX RED MET.	C/O																									C		12346783	12346784
50U	8624	OLYMPIC WHITE	C/O	C	C	C						C																C		1050015	12345205
51U	316N	GOLD MIST MET.	C/O						N						N		N	C	C	C	C	C				N	C	C		12346909	12346910
52U	229L	HIGHWAY YELLOW	C/O																										C	12346809	12346810
53U	317N	ANTIQUE BRONZE MET.	C/O					C	C										C		C	C								12346911	12346912

APPLICATION CODES
C/O = Carry Over
N = New
P = Promotional

PAINTS

2008 PASSENGER CAR EXTERIOR PAINT PROGRAM

GM Code	WA Number	2008 PASSENGER CAR EXTERIOR PAINT PROGRAM Description	Status	C/O OR NEW COLOR IN GM LINE: PA - PULL AHEAD	CHEVROLET COBALT	PONTIAC G5 PURSUIT	CHEVROLET HHR	CHEVROLET MALIBU (FLEET)	CHEVROLET MALIBU	CHEVROLET IMPALA	CHEVROLET CORVETTE C6	PONTIAC SOLSTICE	PONTIAC VIBE	PONTIAC G6	PONTIAC GRAND PRIX	PONTIAC G8	BUICK LA CROSSE	BUICK LUCERNE	CADILLAC CTS/CTSV	CADILLAC DEVILLE/DTS	CADILLAC SRX	CADILLAC STS	CADILLAC STSV	CADILLAC PLATINUM STS	CADILLAC XLR	BUICK ENCLAVE (SEE ACCENTS BELOW)	GMC ACADIA	UPLANDER/MONTANA SV6	CHEVROLET AVEO	Tube Number	Spray Number
					GMX 001	GMX 001	GMT 001	GMX 380	GMX 386	GMX 211	GMX 245	GMX 020	GMX 125	GMX 381	GMX 367	G8	GMX 365	GMX 222	GMX 322	GMX 272	GMT 265	GMX 295	GMX 295	GMX 295	GMX 215	GMT 967	GMT 968	GMT 201	T255		
54U	258L	SUNSET ORANGE MET.	C/O																									C	12346853	12346854
54U	472P	COGNAC FROST TRI COAT (2pc*)	C/O																	C*				N*						88860775*	88860776*
56U	913L	SUNBURST ORANGE II MET.	C/O				C																							12346721	12346722
58U	501Q	CARBON FLASH MET.	N&PA 2007						N	N		N		N	N		N	N		N						N	N		N	88860803	88860804
62U	687F	RED HOT	C/O													N														12346753	12346754
62U	805K	SPIRAL GRAY MET.	C/O																			C								12346643	12346644
63U	270M	POWER RED	N																											88860847	NOT REQ'D
67U	994L	LT. TARNISHED SILVER	C/O				C	C	C	C	C	C		C	C		C	C	C	C	C	C	C	C	C	N	C	C		12346693	12346694
71U	238L	SUPER RED (WAS 73U)	C/O																										C	12346813	12346814
74U	9260	VICTORY RED	C/O	C	C	N				C	C																			12345538	12345539
75U	411P	TECHNO GRAY MET.	C/O			N	C	C			N		C																	88860751	88860752
76U	518Q	MOCHA BRONZE MET.	N&PA 2007							N					N		N	N		N										88860805	88860806
77U	341N	IGNITION	N													N														88860855	88860856
78U	400P	TRANSITION BLUE MET.	C/O					C	C					C					C			C	C			N	C			88860735	88860736
80U	301N	RED JEWEL TINTCOAT	C/O				N		N	C					C		C								CANC		N	C			12346917	12346918
80U	690F	PHANTOM BLACK	C/O													N														12346757	12346758
81U	414P	COCOA MET.	C/O																							N	N	C		88860755	88860756
82U	405P	TRAVERSE BLUE MET.	N				C																							88860739	88860740
83U	418P	ATOMIC ORANGE TINTCOAT MET.	C/O								C																			88860761	88860762
85U	512Q	BLUESTREAM TINTCOAT	N&PA 2007								N														N					88860809	88860810
87U	503Q	INK SLATE MET.	N&PA 2007	N	N					N					N		N											N		88860811	88860812
87U	245L	PEARL BLACK	C/O																										C	12346817	12346818
89U	505Q	CRYSTAL CLARET TINTCOAT (2pc*)	N								N							N	N	N	N	N			N					88860813*	88860814*
90U	238M	DK. GRAY MET.	C/O										C																	12346901	12346902
92U	246L	POLY SILVER	C/O																										C	12346833	12346834
94U	560Q	PLATINUM ICE TRICOAT (2pc*)	N																CANC		CANC	CANC		CANC		N	N			88860815*	88860816*
95U	8867	ULTRA SILVER MET.	C/O	C	C																									12345304	12345305
96U	580Q	MYSTIC SAPPHIRE TRICOAT	N																	N										88860817	88860818
98U	800J	WHITE DIAMOND PEARL	C/O											N				N	C	N	C	C		C		N	C			12346585	12346586
99U	368N	GUNMETALLICAL MET.	C/O															C		C										12346919	12346920
58U	693R	CARBON FLASH BLACK	N																										N	88860901	88860902

***NOTES:** DUE TO THE NATURE OF THESE COLORS TWO TUBES OR TWO CANS ARE SUPPLIED TO MATCH THE COLOR – A TOP COAT AND A BASE COAT.
54U COGNAC FROST TRICOAT WA472P PACKAGE CONSISTS OF 88860775 (2 TUBES) AND 88860776 (2 SPRAY CANS).
ALSO 89U CRYSTAL CLARET AND 94U PLATINUM ICE ARE 2 PIECE COLORS.

BUICK ENCLAVE LOWER BODY ACCENT COLORS

RPO	WA	DESCRIPTION	N C/O	USE WITH RPO'S ABOVE			TUBE	SPRAY
TBD	W30A529Q	DK COCO ASH	N	51U WA316N;81U WA414P	N		88860819	88860820
TBD	W30A550Q	DK BLOSSOM RED	N	12U WA519Q	N		88860821	88860822
TBD	W30A6246	DK ARGENT	N	25U WA722J; 58U WA501Q	N		88860823	88860824
TBD	W30A8945	CHARCOAL	N	40U WA8554; 67U WA994L;78U WA400P; 80U WA301N	N		88860825	88860826
TBD	W30A733J	SATIN NICKEL METALLIC	N	94U WA560Q; 98U WA800J	N		88860857	88860858

APPLICATION CODES
C/O = Carry Over
N = New
P = Promotional

2008 TRUCK EXTERIOR PAINT PROGRAM

GM Code	WA Number	2008 TRUCK EXTERIOR PAINT PROGRAM Description	C/O OR NEW COLOR IN GM LINE: PULL AHEAD Status	SILVERADO/SIERRA GMT 900	TAHOE/YUKON SUBURBAN/YUKON XL GMT 921/922 931/932	YUKON DENALI GMT 922D 932D	ESCALADE/ ESCALADE ESV EXT GMT 926 936	ESCALADE EXT GMT 946	AVALANCHE GMT 941	G VAN EXPRESS/SAVANA GMT 610	MEDIUM DUTY GMT 560	S/T COLORADO/CANYON GMT 355	HUMMER H2	HUMMER H3 GMT 345	TRAILBLAZER/ENVOY GMT 360/ 370	SAAB 9-7 GMT 360	CHEV EQUINOX PONTIAC TORRENT GMT 191/ 192	Tube Number	Spray Number
N/A	N/A	FILLER PRIMER	C/O	C	C	C	C	C	C	C	C	C	C	C	C	C	C	12345116	12345117
N/A	N/A	CLEAR TOP COAT	C/O	C	C	C	C	C	C	C	C	C	C	C	C	C	C	12345118	12345119
12U	519Q	DK BRAHMA JEWEL MET.	N&2007PA	N											N			88860795	88860796
15U	231M	CASHMERE MET.	C/O										N				C	12346861	12346862
15U	929L	CASHMERE MET.	C/O							C								12346725	12346726
16U	213M	GRAYSTONE MET.	C/O	C	C				C	C	C				C	C		12346781	12346782
19U	990A	BLACK LICORICE (JET)	C/O														C	12346068	12346069
20U	408P	PACE BLUE	C/O									C						88860745	88860746
23U	563Q	ATLANTA BLUE MET.	N														N	88860827	88860828
25U	722J	DK. MING BLUE MET.	C/O	C	C		C		C	C								12346575	12346576
26U	214M	BERMUDA BLUE MET.	C/O										N					12346779	12346780
28U	502Q	INFERNO ORANGE MET.	N&2007PA									N		N				88860799	88860800
32U	407P	MOONDUST MET.	C/O												C			88860743	88860744
37U	403P	IMPERIAL BLUE MET.	C/O									N		N	N	C		88860737	88860738
39U	9792	INDIGO MET.	C/O								C							12345993	12345994
41U	8555	BLACK	C/O	C	C	C	C	C	C	C	C	C	C	C	C	C		1052907	12345155
43U	5456	YELLOW (SPRING 08)	C/O										C					12346587	12346588
44U	434P	PPG YOSEMITE DK CRYSTAL SILVER MET.	C/O														C	88860781	88860782
46U	928L	STEALTH GRAY MET.	C/O	C	N	N	N	CANC	N				C					12346711	12346712
47U	9539	MID. GREEN PEARL MET.	C/O							C	C							12345775	12345776
48U	406P	ALL TERRAIN BLUE	C/O										N					88860741	88860742
50U	8624	OLYMPIC WHITE	C/O	C	C	C			C	C	C	C	C	C	C	C		1050015	12345205
51U	316N	GOLDMIST MET.	C/O		C	C	C	CANC	C									12346909	12346910
56U	913L	SUNBURST ORANGE II MET.	C/O						C									12346721	12346722
58U	501Q	CARBON FLASH MET.	N&2007PA									N		N	N	N		88860803	88860804
58U	565Q	PPG CARBON FLASH MET.	N														N	88860831	88860832
59U	926L	FINE SILVER BIRCH MET.	C/O	C	C	C	N	C	C	C		C		C				12346701	12346702
63U	817K	SPORT RED MET.	C/O							C								12346661	12346662
66U	412P	SONOMA JEWEL MET.	C/O	C	N	N		N	N			N		N				88860753	88860754
66U	431P	PPG SONOMA JEWEL MET.	C/O														C	88860783	88860784
67U	433P	PPG LT. TARNISHED SILVER MET.	C/O														C	88860785	88860786
67U	994L	LT. TARNISHED SILVER MET.	C/O												C	C		12346693	12346694
74U	9260	VICTORY RED	C/O	C					C	C	C	C		C				12345538	12345539
75U	411P	TECHNO GRAY MET.	C/O									N		N				88860751	88860752
80U	301N	RED JEWEL TINTCOAT	C/O			N	N								C	C		12346917	12346918
81U	414P	COCOA MET.	C/O	C											C	C		88860755	88860756
82U	564Q	PPG TRAVERSE BLUE MET.	N														N	88860835	88860836
87U	503Q	INK SLATE MET.	N&2007PA			N												88860811	88860812
95U	8867	ULTRA SILVER MET.	C/O											N				12345304	12345305
96U	686H	PPG BRIGHT WHITE	C/O														C	12346556	12346557
98U	800J	WHITE DIAMOND TRICOAT	C/O				N	N	N									12346585	12346586
9W3	253A	WHEATLAND YELLOW (WAS CC86U)	C/O								9W3							12346885	12346886
9W4	9417	TANGIER ORANGE (WAS CC88U)	C/O								9W4							12345771	12345772
9V5	9015	WOODLAND GREEN (WAS CC46U)	C/O								9V5							12346883	12346884
9V9	8265	DOESKIN TAN (WAS CC61U)	C/O								9V9							1052880	1052873

APPLICATION CODES
C/O = Carry Over
N = New
P = Promotional

ACCIDENTAL EXPOSURES TO GM CHEMICAL-CONTAINING PRODUCTS

General Motors Company distributes various chemical products that could potentially be harmful in the event of accidental exposures.

Questions regarding exposure may be answered by calling the following numbers:

DURING NORMAL BUSINESS HOURS:

GM Chemical Risk Management Group
586-986-2199

AFTER HOURS, SATURDAY, SUNDAY AND HOLIDAYS:

GM Security Global Crisis Center
1-800-814-3390

MATERIAL SAFETY DATA SHEET (MSDS)

GM PARTS MANAGERS:

Material Safety Data Sheets (MSDSs) are provided as a requirement of the Federal Hazard Communication Standard (law). This standard is often referred to as the "Employee Right-to-Know" regulation.

Dealers and wholesalers are advised to consult their legal counsel for assistance regarding the application of this standard as well as relevant local and state requirements applicable to their particular operations.

Under the existing rule, Parts Department personnel may be required to provide MSDSs to their customers who purchase hazardous chemicals per the requirements of the OSHA Hazard Communication Standard, Federal, State, or Local Regulations.

When a retail customer purchases a chemical product from you and requests an MSDS sheet, it is your responsibility to supply a copy of it.

When a customer is a body shop, service station, garage or other business concern that uses chemical products purchased from you in repair of a car, truck, or bus, etc., a copy of the appropriate MSDS sheet(s) should be supplied automatically as part of the sale. MSDSs should therefore be kept in an area accessible to your employees. To locate a Material Safety Data Sheet (MSDS):

1. Access Global Connect
2. Select the "Parts" tab
3. Select "GM EPIC"
4. Find the "Periodical/Reference" heading and select "Inquiry"
5. Select the "Publication Type" drop down box
6. Select "MSDS"
7. For keyword, enter GM part number
8. Click search
9. Click on link to view and/or print the selected MSDS sheet

Goodwrench

ENGINEERING REQUIRED ITEMS (ERI)

PART NUMBER	DESCRIPTION	SIZE	ALSO ON PAGE
1050173	CHROME CLEANER AND POLISH	16 OZ	38
1051498	RECONDITIONING PAINT - AEROSOL (TRUNK) (GRAY, WHITE)	14 OZ	53
1051499	RECONDITIONING PAINT - AEROSOL (TRUNK) (BLACK, AQUA)	14 OZ	53
3634770	WEATHERSTRIP LUBRICANT	1 OZ	25
10432060	ADHESIVE, RR SPR INSL	2.8 OZ	
12345097	WEATHERSTRIP ADHESIVE GEL – BLACK	5 OZ	8
12345632	INSTANT GEL ADHESIVE	.02 OZ	7
12345726	STRUCTURAL BONDING EPOXY - CARTRIDGE (TWO PARTS)	6.4 OZ RESIN/ 6.4 OZ HARDENER	
12345884	RUBBER LUBRICANT	5 GAL	25
12345996	HIGH-TEMPERATURE GREASE	1.75 OZ	26
12346001	REAR WINDOW DEFOGGER KIT	1.5 GR	
12346004	TEFLON® PIPE SEALANT	50 ML	9
12346067	BLACK TOUGHENED ADHESIVE	.02 OZ	
12346286	RTV SILICONE SEALANT (RTV 5900) - CARTRIDGE	5 OZ	12
12346501	ANTI-CORROSION COATING	11 OZ	37
12371287	SYNTHETIC LUBRICANT WITH TEFLON®	3 OZ	26
12371386	NICKEL ANTI-SEIZE LUBRICANT	8 OZ	26
12377900	DIELECTRIC LUBRICANT	2 OZ	27
12377901	BONDING ADHESIVE	36 ML	
12377969	BRAKE CALIPER LUBRICANT - CARTRIDGE	14 OZ	20
12377985	CHASSIS GREASE - CARTRIDGE	14 OZ	27
12378192	HEADLINER TRIM ADHESIVE	10.5 OZ	
12378195	SOUND-DEADENING PADS	4 PADS	
12378196	SEAM-SEALER TAPE	2 ROLLS	
12378399	ANTI-CORROSION COMPOUND (WAX-BASED)	13.5 OZ	
12378478	RTV SILICONE SEALANT - RED	2.8 OZ TUBE	12
12378479	RTV SILICONE SEALANT (RTV 5900) - POWER CAN	4 OZ	12
12378484	CLUTCH RELEASE BEARING LUBRICANT	50 ML	
12378517	FLANGE SEALANT	50 ML	
12378521	RTV ENGINE SEALANT – CARTRIDGE	5.3 OZ	10, 12
12378545	4-STEP ENGINE CLEANER KIT		15
12378546	3-STEP FUEL INDUCTION CLEANER		5, 15
12378555	GLASS ADHESION PROMOTER	11 OZ	7
12378563	FLUORESCENT TRACER DYE - COOLANT SYSTEM	1 OZ	30
12378566	METAL PATCH PANEL ADHESIVE	7.6 OZ	
12378567	STRUCTURAL METAL BONDING ADHESIVE	7.6 OZ	8
12378568	PLASTIC BONDING ADHESIVE	1.7 OZ	8

ENGINEERING REQUIRED ITEMS (ERI) CONTINUED

PART NUMBER	DESCRIPTION	SIZE	ALSO ON PAGE
88861009	DIESEL FUEL CONDITIONER	11 OZ	14, 17
88861011	FUEL SYSTEM TREATMENT PLUS	20 OZ	14, 16
88861039	HI STRENGTH PLASTIC REPAIR ADHESIVE	1.7 OZ	
88861344	HEAVY DUTY COOLING SYSTEM CLEANER	16 OZ	32
88861400	FOAM ADHESIVE KIT	200 ML	
88861401	LEATHER, VINYL AND PLASTIC CLEANER	24 OZ	43, 44
88861402	LEATHER AND VINYL CONDITIONER	24 OZ	43, 44
88861403	UPHOLSTERY/CARPET STAIN REMOVER (RED FORMULA)	24 OZ	42, 44
88861404	UPHOLSTERY/CARPET STAIN REMOVER (GOLD FORMULA)	24 OZ	42, 44
88861405	LEATHER, VINYL AND PLASTIC CLEANER	8 OZ	43, 44
88861406	LEATHER AND VINYL CONDITIONER	8 OZ	43, 44
88861407	UPHOLSTERY/CARPET STAIN REMOVER (GOLD FORMULA)	8 OZ	42, 44
88861408	UPHOLSTERY/CARPET STAIN REMOVER (RED FORMULA)	8 OZ	42, 44
88861417	RTV SEALANT	75 GM	11, 12
88861420	CLOTH/CARPET CLEANER CONCENTRATE	67.6 OZ	41, 43, 44
88861422	FLANGE SEALANT	85 ML	
88861425	SOFT BRISTLE INTERIOR CLEANING BRUSH		42, 44
88861426	SYNTHETIC MULTI-PURPOSE LUBRICANT	1.75 OZ	27
88862477	ANTI-SEIZE LUBRICANT	8 OZ	
88863349	MANUAL TRANSMISSION FLUID (LSC 301)	1 L	23
89020326	SILICONE SEALANT	3 OZ	12
89020330	PLASTIC INSTALLATION ADHESIVE	300 ML	
89020331	EZ HEAT RESIN ADHESIVE	300 ML	
89021297	HIGH-TEMP., HIGH-STRENGTH THREADLOCKER	10 ML	9
89021329	INSIDE MIRROR ADHESIVE (TWO PARTS)	.01 OZ ADHESIVE/ .02 OZ PRIMER	7
89021562	COOLING SYSTEM FAST FLUSH	16 OZ	32
89021592	3-STEP FUEL INDUCTION CLEANER	PALLET	5
89021809	SYNTHETIC GEAR OIL (75W-140)	1 L	
89022161	BRAKE CALIPER LUBE	4.3 CC	
89022180	MULTI-PURPOSE LUBRICANT	14 OZ	27
89022217	RUST AND CORROSION INHIBITOR	14 OZ	36
89022219	COOLANT SYSTEM TRACER DYE	1 OZ	32
89022748	H/TOP HYDRAULIC PUMP FLUID	500 ML	34

Goodwrench

AIR CONDITIONER COMPRESSOR OIL (PAG)

8 oz. Bottle
(6 Units Per Case)
Part Number 12378526

GM Universal Air Conditioner Compressor Oil (PAG) has the superior “double end-capped” oil technology. PAG Oil is the OEM recommended synthetic lubricant formulated for automotive air conditioning systems. It is more stable than other compressor oils, particularly in the presence of high temperatures, pressure and moisture.

- Excellent chemical, thermal and hydrolytic stability
- Unsurpassed lubricity for better wear protection
- Compatible with R134a
- OEM approved and recommended for service and retrofit

See page 28 for additional product information.

GM GASKET MAKER

GM Gasket Maker
50 ml. Tube
(4 Units Per Case)
Part Number 1052943

GM Gasket Maker is a non-corrosive gasketing material designed primarily for use on aluminum, iron, and steel flanged mating surfaces. This product fills gaps up to .015” and cures to a solvent-resistant seal that will not tear or decay during service. Parts disassemble easily, even after extended service, and old gasket material can be removed in minutes with a simple plastic scraper.

Applications include: water pumps, thermostat housings, transmission pans, transmission case covers, transaxle casings, and o-ring replacement.

See page 9 for additional product information.